**SB** Solutions Guide

#### Wire Stripper/ Cutter/Crimper Crimps: Insulated: 22-14, 12-10 AWG.

Crimps: Insulated: 22-14, 12-10 AWG. Cuts & Strips: 10/12/14/16/18/20/22 AWG. Screw Cutter: 4-40/6-32/8-32/10-32/10-24 bolts. Measures stud sizes: 3/8, 5/16, 1/4, 12, 10, 8, 4. **#D095003 SB#32-07903** 

\$19<sup>97</sup>









#### SecureFit™ **Protective Eyewear**

Lightweight, Soft adjustable nose pads, dual injected temples. Polycarbonate lenses absorb 99.9% UVA and UVB up to 380 nm and meet CSA safety glasses requirements. **#SF401AF-CA SB#80-04504** 

**\$4**<sup>09</sup>



#### 20V MAX\* XR® Brushless 3-Speed High Torque 1/4" Impact Driver (Tool Only)

OUR HIGHEST TORQUE IMPACT DRIVER - Up to 66% more torque FAST, EFFICIENT PERFORMANCE - Up to 63% faster driving\*\* PRO-LEVEL CONTROL - Variable speed trigger and 3-speed mode select **#DCF860B SB#28-01844**  **DEWALT** 



\$249

## Achieve Greatness™

SST<sup>™</sup> 29 Pc Fractional Jobber Drill Set

1/16-1/2 by 64 118° quick shank
Special HSS M35 cobalt material for premium performance and extended tool life
High flow spiral and chisel edge design to maximize chip evacuation
Reduce friction and increase chip flow

WALTER

Self-centering split point

#01E118 SB#20-33273

\$219



### sbsimpson.com 1-855-SIMPSON

### Seco C-Series General Purpose End Mills

SB SIMPSON

Provide manufacturers flexibility with a range of chamfer, square end and ballnose geometries for roughing and finishing when side milling, face milling or slotting. Modified standards are available.

SIRON-A coating boosts general-purpose tool life by up to 30% and is the first-choice universal coating for steels, cast iron and stainless-steel materials.



## Solid End Mill Range

#### For Aluminum Machining

The range of solid end mills for aluminium applications incorporate geometries and features that ensure exceptional quality and productivity. These tools easily handle the highest feed rates and cutting speeds available on modern machine tools.

The unique AXT coating has an extremely smooth top layer with reduced droplets, which results in less friction and reduced cutting forces to boost tool life and achieve mirror surface finishes. Each tool provides flexibility and performs both roughing and finishing across a broad range of operations. These tools offer the industry's best performance and reliability for manufacturers working with aluminum.

### Tackle several applications with one single tool.

### T35-H Threading Taps

Threading taps combine optimized geometries, HSSE-PM material and TiAlSiN coating to achieve exceptional results in tough and abrasive materials. The tool geometry provides effective chip formation across hard steels, cast irons, and cast aluminums.

The abrasion resistance of the coating ensures long tool life and a 15-degree helix angle produces small, manageable chips. Relatively large flutes efficiently evacuate chips even when the tool is kept stationary on a turning machine or rotated.

### Thread tapping in challenging materials just got easier





#### Up to 3 x greater tool life per edge

Helical Ln4-11 Milling Cutters

Provides robust material removal rates in operations requiring a cutter 32 – 63 mm (1.25" - 2.00") in diameter. Helix inserts feature four cutting edges to maximize cost effectiveness. Both front and helical insert pockets eliminate the potential for incorrect loading.



#### Turbo 12 & 18 **Chip Splitter Inserts** Use grooves to reduce cutting forces and generate smaller chips.

Use grooves to reduce cutting forces and generate smaller chips. This minimizes stress on the machine and tool, as well as eliminates vibration and chatter.

The result is a more stable process that allows for a greater degree of unattended operation. The smaller chip size also reduces the risk of chip jamming, increases the effectiveness of deep pocket machining, and minimizes the overall volume of chips. Chip splitter inserts provide these benefits without having to reduce cutting data.



### **JETI Toolholders**

Bring the benefits of high-pressure coolant to round, positive turning inserts. These toolholders are easy to integrate and improve chip control, process security and productivity. Their performance is well-suited for dynamic turning strategies that optimize pocket machining.

#### Call SB SIMPSON For Your Cutting Tool Solutions!





#### ENERPAC 🗗

The Right Tools For Heavy Lifting!



#### PPH-Series: 40 TON The Revolutionary Hydraulic Pin Removal Kit The new Energiac PPH-Series Hydraulic Pin Pulling Kit sets a new

The new Enerpac PPH-Series Hydraulic Pin Pulling Kit sets a new standard for efficient pin removal when carrying out maintenance on heavy machinery, mining & construction equipment. The tool incorporates innovative features that will make your pin pulling operations faster, safer, and easier to carry out. **#PPH40 SB#284-00604** 

\$7,954 \$<del>8,840</del>

### <sup>30 Ton</sup> Low Height Cylinder

**\$1,453** \$<del>1,648</del>

Lightweight, low profile design for use in confined spaces. Baked enamel finish for increased corrosion resistance. Plunger wiper reduces contamination, extending cylinder life. **#RCS-302 SB#14-20001** 



ENERPACE

#### Compact, Fast, Precise, Extended Battery Runtime!

### SC-Series, Cordless Ext Hydraulic Pumps

The new SC-Series Cordless Battery Pump is compact, lightweight, and precise. It gives hydraulic tool users the power to do so much more in confined areas - free from extension cords, air hoses, and actuating manual pumps.

As the first pump to feature the new Enerpac 54 Volt battery platform, the SC-Series Pump heralds a new era of exceptional runtimes, productive speeds, and precision control - all packed into a compact and portable design.

#SC1201MB SB#284-00602



#### RC-Series General Purpose Hydraulic Cylinders Are incredibly durable and versatile. These single

Are incredibly durable and versatile. These single acting hydraulic cylinders are suitable for a wide range of applications; lifting, pushing, or pressing.

Order#	Model#	Ton	Stroke	Price\$
284-00175	RC-51	5	1.00	624.00
284-00549	RC-53	5	3.11	647.00
284-00050	RC-55	5	5.00	672.00
284-00176	RC-57	5	7.00	828.00
284-00177	RC-101	11.2	1.00	714.00
284-00178	RC-102	11.2	2.13	726.00
284-00180	RC-106	11.2	6.13	886.00





#### Hydraulic Wedgie 1.00 Ton, and Spread Cylinder, 3.7 in Maximum Spread #WR5 SB#14-20010



## **Hydraulic Hand Pumps**

Enerpac lightweight hydraulic hand pumps are compact and easy to carry. Choose a single-speed model for simple applications, or a 2-stage hydraulic pump for superior speed and less handle effort.

Order#	Model#	Speed	Usable Oil	Price\$
284-00152	P-39	Single	41 in3	754.00
284-00035	P-18	Single	18 in3	1,002.00
14-20045	P-142	2-Speed	20 in3	792.00
14-01010	P-392	2-Speed	55 in3	937.00
14-21175	P-80	2-Speed	134 in3	1,309.00

#### Industrial Products & Solutions Since 1960

SB SIMPSON

# Seco Solid Carbide End Mills Solid carbide, 30° Helix, Square end, Center cutting, Uncoated

#### C230 General Purpose - 2 Flute

		Flute	Shank	Length	Overall	
Order#	Part#	Dia.	Dia.	of Cut	Length	Price \$
21-04783	N85263	1/16	1/8	3/16	1.1/2	9.74
21-04784	N55336	3/32	1/8	3/8	1.1/2	9.25
21-02728	N85267	1/8	1/8	1/2	1.1/2	8.72
21-04787	N85271	3/16	3/16	5/8	2	12.00
21-04788	N85275	1/4	1/4	3/4	2.1/2	14.58
21-04789	N85277	9/32	5/16	3/4	2.1/2	19.21
21-04790	N85279	5/16	5/16	13/16	2.1/2	20.55
21-04791	N85283	3/8	3/8	1	2.1/2	25.83
21-04792	N85291	1/2	1/2	1	3	41.86
21-04793	N85293	5/8	5/8	1.1/4	3.1/2	80.71

#### C430 General Purpose - 4 Flute

Order#	Part#	Flute Dia.	Shank Dia.	Length of Cut	Overall Length	Price \$
21-04796	N85506	1/16	1/8	3/16	1.1/2	9.74
21-04797	N55672	3/32	1/8	3/8	1.1/2	9.25
21-02730	N85510	1/8	1/8	1/2	1.1/2	8.72
21-04800	N85514	3/16	3/16	5/8	2	12.00
21-04801	N85518	1/4	1/4	3/4	2.1/2	14.58
21-04802	N85520	9/32	5/16	3/4	2.1/2	19.21
21-04803	N85522	5/16	5/16	13/16	2.1/2	20.55
21-04804	N85526	3/8	3/8	1	2.1/2	25.83
21-04805	N85534	1/2	1/2	1	3	41.86
21-04806	N85536	5/8	5/8	1.1/4	3.1/2	80.71

**PRECISION** 

### **Black Jobber Drill Set**

General purpose fractional drills in a steel index case. Steam oxide reduces wear and chip welding in harder ferrous materials for increased wear resistance and lubricity

Order#	Part#	Set	Size	Price\$
20-00462	C29R10	29	1/16-1/2x1/64	129.46
20-00466	C26R15	26	A - Z	139.57
20-00464	C60R18	60	#1 - 60	98.74

Mitutoyo

#### **Absolute Digimatic** Height Gages Built-in Absolute linear encoder

Resolution:.0005"/0.01mm.

856.50
398.21

### Quantumike IP65 Digimatic Micrometer

SPC, IP65 Coolant proof. Resolution: .00005"/0.001mm Range: 0-1"/25.4mm #293-185-30 SB#40-21590



# Digimatic Caliper IP67 Coolant proof. Resolution: .0005"/0.01mm.

Without SPC data output.

Order#	Part#	Size	Price\$
40-00536	500-752-20	0-6"/150mm	247.23
40-20954	505-753-20	0-8"/200mm	332.71
40-00196	500-754-120	0-12/300mm	503.67

#### Because We Like To Help.



# Drills, Taps & Thread Mills

Perfect for a Wide Range of Materials in High-Mix, Low Volume Applications



## Muítí<u>DR/LL</u>

- High-Performance Choice: The EMUGE-FRANKEN MultiDrill is ideal for job shops managing everyday drilling tasks.
- Solid Carbide Construction: Made from high-quality solid carbide, excelling in various materials for longer tool life.
- Improved Productivity: Enhances productivity through its multipurpose design.
- Precision Engineering: Features self-centering capabilities and concave cutting edges for better stability and accuracy.
- Versatile Length Options: Available in lengths of 3X D, 5X D, and 8X D, suitable for diverse manufacturing applications.



- Transformational Solution: EMUGE-FRANKEN MultiTAP enhances threading operations by boosting productivity and reducing costs.
- Versatile Range: Offers highperformance multipurpose taps, including cut and form options, in various lengths and coatings.
- Material Compatibility: Handles diverse materials like carbon steel and aluminum.
- Precision Performance: Delivers dual thread fits (2B and 3B) from a single tap, streamlining inventory needs.
- High-Quality Results: Ensures superior thread quality for numerous applications.

\*Call for more information

# 

- All-in-One Solution: The EMUGE-FRAN-KEN MultiTHREAD Mill is designed for efficient thread milling in job shops with changing materials.
- Reduced Inventory Needs: Minimizes the need for multiple thread mills, enhancing operational efficiency.
- Durable Design: Features robust construction with EMUGE's TIN T21 coating for extended tool life.
- Versatile Performance: Provides effective cutting across a broad range of sizes and thread types.
- Cost Optimization: Optimizes production capabilities and reduces operational costs, making it vital for machining environments.

Our People. Our Products. YOUR Success!

### **SB SIMPSO** INDUSTRIAL \* SUPPLIES

**In-Line Preset** Regulator

#### 29 PSI Saveair

- Ensure optimum efficiency of air tools by providing a preset pressure
- Limit overconsumption of compressed
- air, thereby reducing energy costs Highly reliable, safe and maintenance free
- Tamper-proof
- Lightweight and compact
- Heavy-duty construction
- Increase tools lifespan

#### #62.202 SB#290-00965



### Airflo 200 Aluminum 1/4" Regulator 5 to 125 PSI 1/4 (F) NPT S51

Maximum Inlet Pressure 150 PSI #51.240 SB#290-00004

**\$36**<sup>46</sup>

#### **Airflo Regulators** · Compact format.

- Precise pressure control.
- Adjustable push-pull hood.
- Pressure gauge and
- wall bracket included.

### Airflo 500 Aluminum **1" Regulator** 5 to 125 PSI 1 (F) NPT S51

#51.545 SB#290-00588

### \$119<sup>21</sup>

#### Maxreel /Flex Hybrid Hose & Hose Reel

Automatic rewind, Wide L-shaped base, Fully enclosed spring. Adjustable guide arm for wall, ceiling or floor mounting. 4-direction non-snag rollers to reduce hose wear. Multi-position ratchet lock and easy tension adjustment. Lightweight, highly flexible hose with good resistance to oils, heat, ozone and abrasion.

Order#	Part#	Description	Price\$
60-00290	79.334	3/8" x 50' 1/4"(m)	234.84
60-00291	79.336	1/2" x 50' 3/8" (m)	258.65

#### OPRIN Compressed air solutions

#### Non-Restricted **Blow Gun**

Powerful air flow. Ergonomic design 6mm tube. #60.320 SB#60-02314

**\$19**<sup>46</sup>

### Automatic Drain

- 1/2 (M) or 1/4 (F) NPT
- Fully automatic maintenance free. · Economical solution for the continuous
- elimination of condensation in pneumatic systems.
- Reduces compressed air losses.
- Simple and quick installation.
- Test button for periodic inspection or depressurization.
- Reliable electronic timer. #59.345 SB#56-22705

## \$108<sup>58</sup>

### 5 Micron FRL Unit

0 to 125 PSI 1/2 (F) NPT S50 Designed to remove particles down to 5 microns to protect downstream equipment.

- Superior free water removal up to 98% efficient.
- Superior pressure regulation - diaphragm regulator.

#50.535A SB#56-22135

\$397



### **FLEXCOIL** Self-Storing Hose Automatically recoils. Excellent kink resistance.

Heavy-duty brass fittings at both ends. Blue polyurethane, 1/4 x 1/4 (M)NPT

Order#	Part#	Length	Price\$
60-20591	17.610.07	15'	37.93
60-20593	17.620.07	25'	52.34







### Innovative high performance band saw blades for all applications



Horizontal Miter Cap. 0" x 0.45" MH-270M





Horizontal Scissor Cap. 9" x 16.5" MH-1018JA

Horizontal Miter Cap. 11" x 19.7" SH-500M



Cosen Saws is a worldwide leader in industrial band saw manufacturing. Our band saws include various horizontal & vertical styles, and are offered in manual, semi-automatic, and automatic forms. Producing high-quality band saws with diverse capacities and cutting abilities since 1976, we have cutting solutions for steel, titanium, fabricators, service centers and more!



Responsive, Reliable, Helping, Humans.





## Wire Wheel

Stringer Bead Knot-Twisted These brushes are made from top quality wire that is perfectly knotted and balanced for minimal vibration and maximum user safety. Quicker surface cleaning and safer operation.Arbor: 5/8-11 Wire: .020

Order#	Part#	Size	Price\$
26-00461	13K404	4" Steel	29.19
26-00464 26-00402	13K454 13K504	4-1/2" Steel 5" Steel	24.47 34.38





**Cup Brush** Knot-Twisted Wire Wheel With Ring

High performance cleaning of large surface areas. Arbor: 5/8-11 Wire: .020

Order#	Part#	Size	Price\$
68-43587	13G304	3" Steel	29.19
26-20568	13G404	4" Steel	35.59
68-43858	13G504	5" Steel	34.13

WALTER



### Vision<sup>®</sup> Black Weld Helmet

With BFFVX lens. 17 sq.in. viewing area. HD Technology, shades 5-13. X-TIG Mode. 3 Arc sensors. Solar-powered. USB charger included for on-the-go back-up charging. #BFFVX-1500 SB#80-07743

\$393



### Chopcut Cut-Off **Chop Saw Wheel**

Double external reinforced cut-off wheel for portable chop saws. Cut a full range of materials. Fast cutting rate and long wheel life. The wheel of choice for solids

Order#	Part#	Size	Price\$
25-00471	10Q123	12X3/32X1	9.21
25-00383	10Q143	14X3/32X1	12.56



08-B 510

**Grinding Wheel** The HP grinding wheel is formulated for safety and high performance for a wide range of metal grinding operations. Made for every day, general purpose grinding, this grinding wheel is wear resistant, with the ability to grind welds down fast and the ability to grind welds down fast and with less effort.

Order#	Part#	Size	Price\$
25-03079	08B460	4-1/2X1/4X7/8	5.57
25-03080	08B510	5X1/4X7/8	6.07

#### \*More Sizes Available

### 10 Pc Set Heavy-Duty **Carbide Burrs**

Made from the highest grade tungsten carbide and are manufactured to ensure perfect concentricity and balance. Product is safer, removes material faster and is guaranteed to provide the longest working life in the industry. #70S004DC SB#21-06844



8



29 Pc **Jobber Drill Set** 1/16-1/2X64TH Tin Tip 135° Split Point #450T29 SB#20-11650

\$165<sup>99</sup>



### POLIFAN CURVE Flap Discs



The patented flap disc POLIFAN CURVE has been specially developed for work on fillet welds. It is the only flap disc in the world that has flaps on both he grinding side and on the rear side, as well as on the radius. The unique design makes grinding easier for you in many different respects.

#### Applications:

Work on fillet welds, surface grinding, work on weld seams, chamfering, deburring

- Advantages:
- High stock removal rate ensures fast work progress and significant wage cost savings.
- Excellent tool life when working on fillet welds.
- Precise and optimum grinding of the fillet weld geometry.
- Grind difficult-to-reach areas.

#### Z SGP Curve Steelox

Zirconia alumina High performance flap disc for maximum stock removal on steel and stainless steel

Order#	Part#	Size in. Type	Grit	Price\$
24-03425	67192	4-1/2x7/8 M	40	13.97
24-02030	67196	5x7/8 M	40	14.43
24-03426	67339	4-1/2x7/8 L	40	14.86
24-01874	67343	5x7/8 L	40	16.26

#### **CO SGP Curve Steelox**

Ceramic oxide High performance flap disc for maximum stock removal on steel and stainless steel

Order#	Part#	Size in. Type	Grit	Price\$
24-03427	67234	4-1/2x7/8 M	60	16.60
24-03428	67197	5x7/8 M	60	17.30
24-03429	67381	4-1/2x7/8 L	60	16.42
24-03405	67344	5x7/8 L	60	18.09

NDRTDN

DRY

SAINT-GOBAIN



#### A SGP Curve ALU

High performance flap disc for a superior surface finish on aluminum

Order#	Part#	Size in.	Grit	Price\$
24-03430	67646	4-1/2x7/8 Large	40	13.97
24-03431	67651	5x7/8 Large	40	14.43

### New standard in grinding productivity, speed and life!



#### Razorstar F990S **Fiber Discs**

Featuring engineered shaped ceramic grain technology for the best cutting performance in the industry. For medium to high pressure metal removal in the toughest grinding applications. 100% engineered shaped grain which cuts through metal with unbeatable performance.

Order#	Size in.	Grit	Price\$
24-03276	4-1/2 x 7/8	36	3.50
24-03277	5 x 7/8	36	3.53
24-03278	6 x 7/8	36	4.11
24-03279	7 x 7/8	36	4.21
Availabla	in oizoo ro	naina	from 1 1/0"

Available in sizes ranging from 4 1/2" to 9" in 7/8 hole, speed-change and AVOS discs

Dry Ice Velcro A975 Hook & Loop Paper Disc

**Paper Disc** No-Fil Ceramic Alumina. Exceptional choice for the most demanding fine grit blending, sanding and finishing lightweight paper disc sanding applications; pressure sensitive adhesive and linked disc roll format allow easy application, removal, and dispensing

Order#	Size	Grit	Price\$
24-02458	5x0	80	1.24
24-02343	5x0	150	1.14
24-02355	5x0	220	1.14

#### \*More Sizes Available



#### Quantum3 Grinding / Cutting Wheel Type 1 Straight

Delivers high operator comfort with faster cut, less down time for effortless cutting applications. 100% advanced ceramic alumina grain with a special shape for comfort and performance guaranteeing 7X the life of aluminum oxide wheels and 3X the life of zirconia alumina wheels

Order#	Size in.	Price\$
25-01031	4-1/2 x 1/16 x 7/8	4.05
25-01039	5 x 1/16 x 7/8	4.27
25-01042	6 x 1/16 x 7/8	6.02

Industrial Products & Solutions Since 1960

### **SB SIMPSON** INDUSTRIAL 🕈 SUPPLIES



### 20V MAX\* XR® **Drywall Cut-Out Tool**

(Tool Only) 26,000 RPM brushless motor delivers fast and consistent cutting performance #DCE555B SB#28-01628





### **FLEXVOLT 60MAX Cordless** 4-1/2"- 6" Grinder

#### W/Kickback Brake Kit

DEWAL

Brushless. 13 Amp motor equivalent power 9000 rpm no-load speed for applications with 6" grinder wheels #DCG418X1 SB#28-01422

\$399



### 20V MAX Lithium-Ion Grease Gun

(Tool Only) Powers through clogged grease fittings with a motor that delivers 10,000 max PSI. Pump pushing up to 5 oz. per minute. Control grease flow with the variable speed trigger and reach hard to access grease fittings with the 42 in. flexible hose. #DCGG571B SB#28-00756

### 20 Volt MAX LED Work Light Flashlight



Bright LED output - 160 Lumens. Head rotates 120°. (Battery sold separately) #DCL040 SB#28-00551

**\$249** 

**\$29** 

### 20 Volt Atomic 1/4" Impact Driver

(Tool Only) Brushless Cordless 3 Speed delivers up to 1,825 in-lb of torque and 3,250 rpm for driving large-diameter screws. 3-LED worklight on-board #DCF850B SB#28-01680





DEWALT

### With Hog Ring Anvil 600 ft-lbs of max fastening torque and 800 ft-lbs of max breakaway torque. Includes: (2) DCB205 5.0Ah Batteries, Charger, Kit Bag, Belt Clip. #DCF891P2 SB#28-01556

Impact Wrench Kit

20V Mid-Range

#### **Multiport Simultaneous**

# **4** Port Fast

Charges (4) DCB204 battery in 40 mins Charges (4) DCB606 battery in 60 mins Thru-Hole Wall Mounts # DCB104 SB#28-01309

\$319

### **20V MAX\*** 3/8" Impact Wrench

with Hog Ring Anvil (Tool Only) Up to 250 ft-lbs of max tightening torque and 400 ft-lbs of max breakaway torque. #DCF913B SB#28-01675









Because We Like To Help.

Milwauke





#### **4-1/2" Angle Grinder** Lock On Slide Switch 7.0AMP 11000 RPM 120V #6130-33 SB#28-00302



### 18V M18 Band Saw Bare Tool

Light-weight, compact, balanced design with the largest cutting capacity of any compact band saw at 3-1/4" X 3-1/4". Built-In LED Light illuminates work surface. **#2829-20 SB#28-01436** 

\$369

18V M18 Fuel Hammer Drill/ Driver & Impact Driver Kit

Includes: 2904-20 1/2" Hammer Drill/ Driver, 2953-20 1/4" Impact Driver, (X2) 48-11-1850 Batteries, Charger, Side Handle, Belt Clips & Case #3697-22 SB#28-01703 \$499

### M18 FUEL<sup>™</sup> SURGE<sup>™</sup> 1/4" Hydraulic Driver

Bare Tool FLUID-DRIVE hydraulic powertrain reduces metal on metal contact within the tool, delivering quieter operation, smoother performance and increased durability over a standard impact #2760-20 SB#28-01203

\$178



#### Bare Tool Promo- Pick Any For \$128 \*\*(Tool Only) – Batteries Sold Separately\*\*



M18™ Brushless 4-1/2″ / 5″ Cut-Off Grinder # 2686-20 SB#28-01723



M18<sup>™</sup> Sawzall<sup>®</sup> Reciprocating Saw #2621-20 SB#28-01704



M12V XC 3.0Ah 2 Pack Batteries #48-11-2412 #28-01155







### Milwaukee Battery Sale! Stock Up & Save! – Call Us Today For Additional Discounts!

Our People. Our Products. YOUR Success!

# SB SIMPSON



### Straight-Line

Die Grinder .5HP, 20,000 RPM Front Exhaust, Gearless #51302 SB#29-01509

\$598

#### Straight-Line Extension Pencil Grinder

.1 HP, 35,000 RPM, Rear Exhaust, 1/8" Collet. Turbine-Driven Air Motor **#51756 SB# 29-01460** 

\$799

## DYNABRADE

## **Right Angle**

Die Grinder .7 HP, 12000 RPM Rear Exhaust 1/4" & 6 mm Collet #54343 SB# 29-01508 \$1,135

### Dynorbital Spirit 6" Palm Sander

Non-vacuum random orbital .25 hp, 12,000 RPM, 3/16" (5 mm) Dia. Orbit, Rear Exhaust **#59025 SB#29-00021** 



## Tnakita

### 18V LXT<sup>®</sup> 5.0Ah **2 Tool Combo Kit**

1/4" Cordless Impact Driver With Brushless Motor, 1/2" Hammer Drill / Driver with Brushless Motor Two 18V (5.0 Ah) Li-Ion Batteries, Rapid Charger, Tool Bag #DLX2412TX1 SB#28-01841



## 4-1/2" Grinder

Thumb Switch with Lock-On (AC/DC). Labyrinth construction seals motor and bearings from contamination. Thumb switch conveniently located for operator comfort. **#9557NB SB#28-20830** 

#### 5" Angle Grinder Powerful 10 Amp motor ideal for high

Powerful 10 Amp motor ideal for high production applications, 12,000 RPM. Thumb trigger with Lock-On button switch. Lightweight design reduces operator fatigue during periods of prolonged use. **#9005B SB#28-20442** 

# 18V (Compact) Li-Ion **Battery**

NEW Battery Protection System provides Over-Discharge, Temperature and Current Protection for enhanced performance, battery cycle life and overall battery life. **#BL1815N SB#28-00166** 




\$246



**\$94**<sup>85</sup>

#### Rapid Charger Charges 7.2V - 18V Ni-Cad, Ni-MH and

Charges 7.2V - 18V Ni-Cad, Ni-MH and Li-Ion Slide Style Batteries. 3 Active Controls System (Current, Voltage & Temperature) provides an optimal charge and ensures battery cannot be overcharged or overheated during the charging process.







100% Canadian - Since 1960

CA MED CA Sen 3M SM SM otch-Brite Sco CA MED C

### Scotch-Brite<sup>™</sup>

#### Precision Surface Conditioning Discs

Light Grinding, Deburring, Blending, Refining, Radiusing, Cleaning and Finishing

By combining two flagship 3M technologies

- nonwoven fibre and ceramic 3M Precision-Shaped Grain — metalworkers can get the ideal

finish, faster. For even better workflow efficiency, these discs come in brighter, more vivid colours to make identification easier.

#### A Multi-Purpose Disc Designed To Do It All!

Available in VFN, FIN, MED, CRS, and XCRS for low-pressure applications on typical substrates including aluminum, soft metals, carbon steel and stainless steel. Applications ranging from coating and corrosion removal to refining and post-machining processing. All grades are available in a variety of forms and attachment types, including Scotch-Brite<sup>™</sup> Roloc<sup>™</sup> Discs for quick and easy changeouts.

\*Call for Sizes and Pricing

## ZeroTri® Heavy-Duty **Degreaser**

Fast-acting alternative to chlorinated solvents for degreasing parts and equipment. Ideal for degreasing metals. Rapidly evaporates, leaving no residue. Safe to use on most surfaces. **#C03520 425g SB#68-06461** 

**\$32**<sup>10</sup>



WALTER

#### SLAP SHOT™ LOW VOC Degreaser

Less than 10% VOC heavy-duty degreaser. Heavy-duty degreaser that dissolves and removes grease, oil, and grime on contact without leaving residue. It delivers heavy-duty performance similar to WALTER's original SLAP SHOT™ but contains less than 10% VOCs **#53C512 500ml SB#90-03209** 

**\$14**<sup>24</sup>



### **Duct Tapes**

#### Performance Plus Duct Tape Series 8979 Slate Blue

Series 8979 Slate Blue Sizes: 48mm,72mm Thickness: 12.6 mils Application: removes cleanly for up to six months evenafter exposure to sunlight and temperature extremes

#### All Purpose Duct Tape DT8 Sizes: 48mm, Black or Silver

Sizes: 48mm, Black or Silver Thickness: 8.0 mils Application: Use for ploy abatement, quick repairs, fast attachment and quick labeling

#### Heavy Duty Duct Tape DT11 Sizes: 48mm, Black or Silver

Sizes: 48mm, Black or Silver Thickness: 11.0 mils Application: Long lasting, moistureresistant seal in many containment situations such as attaching heavy poly draping and pipe sealing.



## **3M** Adhesive Sealants

#### Adhesive Sealants 760UV

Size: 290ml or 600ml

- Colours: White, Gray, Black • High performance Sialne Modified Polymer
- Excellent UV resistance, primerless bonding
- Isocyante-free
- Paintable when wet

#### Polyurethane Sealant 540 Size: 290ml or 600ml

Colours: White, Gray, Black

- All purpose polyurethane
- High strength, high elongation
- Paintable

#### Polyurethane Adhesive Sealant 560

Size: 290ml or 600ml Colours: White, Gray, Black • All purpose polyurethane • High strength, high elongation

Paintable

#### Call for Sizes and Pricing\*



300 mL / 10.1 f #

Responsive, Reliable, Helping, Humans.

AL CHATTER

# SB SIMPSON



#### 243 Threadlocker --dium Strongth

General Pulpose, Medium Strength					
Order#	Part#	Size	Price\$		
90-01141	1329837	10ml	18.19		
90-00543	1329467	50ml	56.58		



#### 263 Threadlocker General Purpose, High Strength

404 Instant Adhesive

Rubber bonding, General Purpose 1/3oz **#135465 SB#90-00295** 

Order#	Part#	Size	Price\$
90-00282	1330585	50ml	56.28
90-00283	1330335	250ml	194.25



HY 4070 Instant Adhesive

11gm #2264448 SB#90-02063

5452 Pipe Thread Sealant Hydraulic/Pneumatic, Fast Cure 50ml #1265769 SB#90-00083

**MS 5510 Grey** 

Silicone Sealant

One-component, SMP

\$57<sup>83</sup>

GY

riii

States and

Universal bonder, Ultra Fast

Structural Adhesive

#### 290 Threadlocker

Wicking Grade, Medium Strength, Low Viscosity

Order#	Part#	Size	Price\$
90-00383	135392	50ml	54.94
90-00345	135393	250ml	196.00

720

#### 401 Instant Adhesive

Medium Visosity, General Purpose 20gm #135429 SB#90-00379





518 Gasket Eleminator Flange Sealant General Purpose 50ml #2096064 SB#90-01204

**\$27**<sup>20</sup>





620 Retaining Compound High Temperature 50ml #135514 SB#90-00655



L@CTITE 620



3488

567 Pipe Thread Sealant 250ml #2087069 SB#90-00199





**\$95**<sup>36</sup>



PC9410 Concrete Repair Kit Magna-Crete Concrete repair 1 gal kit **#235572 SB#90-01299** 

**\$284** 

SI 596 Red RTV Silicone Sealant **High Temperature** 300ml #198817 SB#90-00712

300ml #1562044 SB#90-01088

**20**<sup>85</sup>



LOCTITE



#### **Brite Galvanize Coating** 65% Zinc Rich

Restores the bright look of galvanized surfaces with a 65% pure zinc dry film. 13oz #7008 SB#90-01664





Layout Fluid Remover Quickly removes all layout fluids, inks, paint, and oily films from dies and related equipment. 1gal #6095G SB#90-00105

### **\$51**<sup>55</sup>



### Clear Acrylic Coating Gloss, Non-yellowing, acrylic coating

provides superior finish retention over painted and non-painted surfaces. 12oz #117 SB#90-01501





**AERVO** 

#### Rust Inhibitor

Lanolin-fortified rust and corrosion protection for short and long-term storage. 11oz #6007 SB-68-22059

**\$8**<sup>38</sup>



## Buttercutt Cutting/ Tapping Compound High temperature, high pressure film provides dependable tool point lubrication. 1gal #5041 SB#90-01358





## **Rust Proof**

Any-Way Spray Paints A high-quality industrial maintenance enamel coating provides lasting protection against corrosion, light abrasion, weathering, and mild chemical fumes.





#### Heavy Duty Silicone Mold Release

Heavy-duty silicone mold release agent. This industrial-strength mold release helps resist costly breakdowns.

13oz #3445 SB#90-01499



#### Food Grade Silicone Lube A low viscosity silicone lubricant that eliminates squeaks, insulates, and waterproofs electrical parts. Meets NSF H-1 for lubricants authorized for incidental food contact. 10.5oz #8036 SB#68-22000



## Quik Stik Fast Drying Paint Markers

A smooth-marking solid paint crayon that dries quickly to leave a bold, permanent mark on most surfaces 10.10.4

Order#	Colour	Marka
68-00293	Red	
68-00294	White	<b>~</b> 739
68-00295	Yellow	<b>\$7</b> <sup>39</sup>
90-03264	Orange	<b>*</b> *
90-02551	Flourescent Green	

Industrial Products & Solutions Since 1960





Over 200,000 different standard caster models available AND We offer CUSTOM CASTER SOLUTIONS for any caster application.



### Mobile Pipe & Bar Rack

3 double sided storage levels with 7" high uprights to secure load Useable space per side 6"-11"-15" (top-middle-bottom) 48" W x 36" D x 60" H 3000 lbs. Capacity **#MO248 SB#48-03147** 



### Wire Mesh Truck

Rugged all-welded steel construction, ready to use 3 Tiers, 2400 lbs. Cap. 51" L x 26" W x 62.5" H #ML257 SB#48-03146

## \$1,511





### KLETON Storage Cabinet

Multi-purpose cabinets feature sturdy steel construction, and the locking door handles provide an extra level of security. Available in a variety of different sizes for every storage need. Steel, Grey 4 Shelves, 78"H x 36"W x 24"D **#FN426 SB#48-02812** 

\$558



## Deep Door

Storage Cabinet Capacity per shelf: 500 lbs. evenly distributed. Four reinforced adjustable main shelves are complemented by six adjustable mini shelves in each 4" deep hinged door for a capacity unmatched by any other cabinet. 38" W x 24" D x 72" H

#FB024 SB#48-21820 \$1,815



\*Freight may apply

### Super Heavy Duty Industrial Hydraulic Bottle Jacks

Electrically welded base and cylinder assures strength and eliminates leaks. All models work in upright, angle or horizontal positions. JSJ Series

Order#	Part#	Capacity	Price\$
14-20205	140101	2 Ton	59.06
14-01173	140103	5 Ton	93.79
48-21106	140104	8 Ton	117.72
48-21105	140105	12.5 Ton	147.71



## Heavy Duty KLP Series Lever Chain Pullers

High impact gear case and brake cover for heavy duty service. Grade 100 load chain for greater strength. Caged ball bearings on load sprocket for the ultimate in smooth, easy operation. Dual pawl Weston style brake features extra heavy pawl springs for reliable and safe operation. Exclusive premium grade, non-asbestos brake discs for longest life.

Order#	Part#	Capacity	Lift	Price\$
48-02285	110803	1/4 Ton	5'	264.94
48-00376	110402	3/4 Ton	5'	340.26
48-02286	110804	1/2 Ton	5'	340.26
48-00375	110403	1-1/2 Ton	5'	420.79
48-02283	110407	1-1/2 Ton	10'	489.62
48-02284	110408	3 Ton	10'	862.35

MagWand **22" Magnetic Wand** Pick Up Tool Can collect up to 12 lb of swarf in a pass for

Can collect up to 12 lb of swarf in a pass for a cleaner safer welding and machine shop. Rolls easily over industrial work surfaces and dumps waste by simply pulling sliding

magnetic insert. #MW-1 SB#32-11823





Simply better.

#### Safety Floor Mat Runner

Low cost industrial commercial available in customized widths to suit your toughest applications. The unique compound of polymer rich rubber provides outstanding wear resistance and durability. 1/8" x 36" Wide **#RMBW-.125-36 SB#68-05353** 

**\$7**<sup>71</sup> /LF



### Magnetic Sweeper

Sweeper Quickly and easily clear workshop and factory floors, sports pitches and car parks of spilt items or potentially dangerous metal debris like pins, nails and metal fragments. Handle mounted quick release mechanism, 15.7 Inch With Adjustable Handle # MSW385 SB#85-01168



Loop handle Hand Truck Pneumatic wheels. 600 lbs Capcity, 52" Height, Tubular steel frame SB#48-22100

**\$79**<sup>67</sup>



Open / Dual Handle Hand Truck

000000

000000000000

Pneumatic Wheels, Tubular Steel Frame, Powder Coated Finish, Steel Hubs And Steel Ball Bearings. 600 lbs Capacity **SB#48-01510** 

**\$64**<sup>66</sup>

Responsive, Reliable, Helping, Humans.

# SB SIMPSO

### **DORMER**

#### E061 Hand Taps **Straight Flute**

For use in a wide variety of materials and appropriate in either through or blind hole applications.

UNC-TPI	Taper	Plug	Bottoming	Price\$
6-32	20-00848	20-00849	20-00850	7.76
8-32	20-00856	20-00857	20-00858	8.29
10-24	20-00864	20-00865	20-00866	8.29
12-24	20-00872	20-00873	20-00874	8.76
1/4"-20	20-00880	20-00881	20-00882	8.37
5/16"-18	20-00888	20-00889	20-00890	10.37
3/8"-16	20-00896	20-00897	20-00898	11.90
7/16"-14	20-00904	20-00905	20-00906	20.28
1/2"-13	20-00912	20-00913	20-00914	20.96
9/16"-12	20-00920	20-00921	20-00922	35.05
5/8"-11	20-00928	20-00929	20-00930	42.45
3/4"-10	20-00936	20-00937	20-00938	58.50



Faster Core Drilling In Metal In Every Situation!

### **HSS Deep Slugger Annular Cutters**

With pilot	pin. Long	service life
------------	-----------	--------------

Order#	Size (in.)	Price\$
20-03173	1/2 X 1	48.62
20-03179	11/16 X 1	53.52
20-03175	9/16 x 1	48.62
20-03181	3/4 X 1	55.33
20-03185	7/8 X 1	63.41
20-03184	13/16 X 2	87.95
More S		

### **Power Supply Generators**

KING CANADA

- Emergency Power Supply. The most significant advantage of a portable generator is its ability to provide power during emergencies; during outages, ensuring that essential services and equipment can continue to operate.
- Flexibility and Convenience
- Cost-Effective
- Variety of Fuel Options



#### 6,500W GASOLINE With Electric Start

Powerful 10 HP, 4 stroke air cooled OHV engine 6500 starting watts, 5000 running watts AVR system and electronic ignition Low oil shut-off with indicator light protects the engine

#KCG-6502GE SB#30-00370



#### 12,000W GASOLINE With Electric Start

Powerful 18 HP, 4 stroke air cooled OHV engine 12,000 starting watts, 9000 running watts AVR system and electronic ignition Low oil shut-off with indicator light protects the engine

#KCG-12000GE SB#30-00372

\*Includes wheel kits, Freight may apply

## 12000W GASOLINE/PROPANE

With Electric Start Powerful 18 HP, 4 stroke air cooled OHV engine This generator can run on gasoline or propane giving you the flexibility to choose AVR system and electronic ignition Low oil shut-off with indicator light protects the engine #KCG-12001GE-DF SB#30-00373

#### Speed, Urgency, Accuracy



### **Inspection Mirrors**

Order#	Part#	Item	Price\$
32-21617	CF143	8" Long, Round	11.93
32-10866	CF147	11"-15" Reach Rectangular	17.60

#### **//Dynamic**

Rubber	Mal	lets
Hickory Handle		

Order#	Part#	Size	Price\$
32-00952	D041000	1 lb	8.99
32-01314	D041001	1-1/2 lb	13.82



STANLEY.

### 114 Pc Ratcheting Tap & Die Set

#### SAE/ Metric

Set includes 2 ratcheting T-handles, 3 sizes of tap adapters and 2 sizes of die adapter, 2 extension adapters, sliding T for the adapters, 4mm hex key, 5 screw extractors, SAE / Metric thread gauges, 48 taps and dies in SAE / Metric sizes ranging from 4-40 to 3/4" and 3mm to 18mm #82812 SB#20-10773

### **\$423**<sup>74</sup>



CEARWRENCH

### Non-Marking **Dead-Blow** Hammers

Order#	Lgth in.	Oz	Price\$
32-08553	10.1/8	10	33.15
32-20372	11.1/4	18	41.46
32-08554	12.7/8	21	46.68
32-08555	14.1/4	42	65.89
32-08556	15.1/4	52	91.01





**In-Stock Files!** 



### Industrial **Batteries**

Order#	Size	Price\$ ea.	PKG Qty	Price\$ ea.
68-44566	AAA	.59	24	.53
68-44568	AA	.58	24	.52
68-44564	С	1.44	12	1.30
68-44567	D	1.76	12	1.58
68-44565	9V	2.22	12	2.00

### **Re-Sealable** Poly Bags 2mil, White Block

Order#	Size (in.)	Price\$ /M
48-00255	2 x 3	6.82
48-00153	3 x 5	15.49
48-00147	4 x 6	17.74
48-00148	5 x 8	26.35
48-00154	6 x 9	35.04

#### Buy Bulk & Save!

Industrial Products & Solutions Since 1960

#### SB SIMPSO SUPPLIES NDUSTRIAL



T-Handle Hex Key Set Contains: 2.5, 3, 4, 5, 6, 8mm #D043520 SB#32-07904

### **\$58**<sup>76</sup>



41 Pc 1/2 Dr 6 Pt Socket Set 16 Standard SAE & 19 Standard Metric Sockets. 5" & 10" Extensions, 45 Tooth Ratchet, Universal Joint, Flex Handle, T-handle. Blow mold case. #D018010 SB#32-00878

### \$408







12 Pc Rev. Comb. Ratcheting Gear Metric Set 12 Pt Includes: 8mm-19mm #D076603 SB#32-01288

**\$251**67

GRAY TOOLS C The highest standard. Yours



3-1/2" Jaw Plier Hand Seamer #535 SB#32-10292

### \$55<sup>20</sup>



14 Pc Combination Wrench Set Contains: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4 #D074201 SB#32-01474

### **\$232**<sup>83</sup>



\*Freight May Apply

7 Pc Straight Type Extractor Set #SE70C SB#32-08172

**\$99**<sup>09</sup>

## **Heavy Duty Torque Wrenches**

Order#	Part#	Drive	Туре	Capacity	Price\$
32-05484	82100	3/8"	Fixed Ratchet	10 - 100 ft/lbs	346.61
32-05240	82250	3/8"	Micro- Adjust.Click	30 - 250 in/lbs	339.12
32-23623	83250	1/2"	Micro- Adjust.Click	30 - 250 ft/lbs	409.86
32-10905	MFR250HD	1/2"	Fixed Head	30 - 250 ft/lbs	378.36
32-21537	MFR600HD	3/4"	Tear Drop Fixed	100 - 600 ft/lbs	1121.25

### **PRO + Series**

- · Heavy-duty 100 lbs. bearing slides standard on all drawers.
- Redesigned locking system with tubular key and steel double hook engagement mechanism. Drawer liners included
- •

- Heavy-duty 18 gauge steel frame for superior durability.
  Smooth red, scratch, and corrosion resistant powder coat paint finish.
  Smooth and quiet rolling premium 5" x 2" casters with precision sealed bearings and 360° top brake.
- Side handle that makes moving roller cabinets easier and more comfortable.

#### **PRO+** Top Chests

Order#	Part#	Drawers	Size (in.)	Price\$
32-04257	93106	6	26 x 16-1/2 x 16-5/16	576.95
32-04256	93109	9	26 x 19 x 21	732.30

#### **PRO+** Roller Cabinets

Order#	Part#	Drawers	Size (in.)	Price\$
32-04260	93204	4	26 x 19 x 36	884.63
32-04259	93270	7	26 x 19 x 42	1019.46
32-04258	93211	11	26 x 19 x 42	1145.64
32-04261	93215	15	42 x 19 x 43-1/2	1726.36

<u>Because</u> We Like To Help.





2 Pack Contractor TOUGH Extra Heavy Duty Snap-Off Knife 25mm Fiberglass rubber grip, ratchet lock #XH-1BB/CP2 SB#32-07671

\$25<sup>10</sup>





Ultra-Sharp Black Replacement Blades

Order# Price\$ Part# Size Qty 32-02594 HBB-20B 25mm 20 26.32 32-25013 LBB-50B 18mm 50 27 57





2-Pack L-2 Heavy Duty Cutters With Rubber Grip Handle 18mm, Anti-slip inset # L-2/CP2BB SB#32-04423



#### Industrial 10" Shears

Precision ground blades for sharper cutting edges & longer blade life. Bent Handle. #W20 SB#32-08213

### \$42<sup>12</sup>

### Steel **Strap Cutters**

#### Cuts Quickly and Cleanly

Order#	Cut Up To For:	Price\$
32-29135	3/4" Strap	169.09
32-10992	1- 1/2" Strap	163.26
32-23825	2" Strap	367.35

#### Industrial Grade Center Cut **Bolt Cutters**

Drop-forged, precision ground alloy tool steel jaws. Steel handles, rubber grips

Order#	Size	Cuts Dia.	Price\$
32-12103	18"	3/8"-1/4"	123.61
32-27458	24"	7/16"-5/16"	146.93
32-28918	30"	1/2"-3/8"	158.60
32-01663	36"	9/16"-7/16"	205.24



Wiss



Order#	Size	Strength
68-22258	1/2" x .020	1200 lb
68-22260	5/8" x .020	1500 lb
68-22264	3/4" x .020	1800 lb

#### **\$3**<sup>41</sup> /ka

### classiX®All-Steel

#### **Bar Clamps**

With even more clamping force, heavy duty pad and classic rail profile, plus a range of clamp openings that will meet most day to day needs.

Order#	Part#	Size	Price\$
32-01718	GSM30	12"	103.70
32-01719	GSM40	16"	116.42
32-01720	GSM50	20"	133.85
32-01721	GSM60	24"	151.08

**STB Series Heavy Duty** Bar Clamp F-style, Welding Clamp

Crimped on swivel pad, 24" x 7" 4880 lb # STB-24 SB#32-04150

\$308







# SB SIMPSON



#### **Combination Wrench Sets**

Order#	Pieces	Sizes	Price\$
32-04724	16	7mm to 24mm	56.58
32-00179	16	1/4" to 1-1/4"	89.88
32-04725	22	7mm to 32mm	114.18

### Master



**Combination Brass Padlock** 2" wide. Set your own combination solid boy padlock. Easy to set & reset. #175D SB#68-07168

### **)5**96

#### auroratools<sup>.</sup>



Maintenance Tool Pouch Includes five outside pockets, a carabineer & tape holder clip. Belt clip that fits belts up to 2-3/4" wide. SB#32-07202

**R**56





Intrinsically Safe® LED Flashlight 150 Lumens, AA Batteries. #ENISHH21E SB#80-08987

**\$18**<sup>36</sup>



Grease Gun Lever style, standard duty SB#10-20419

**\$26** 



Anti-Skid Safety Tape Non slip protection such as, walkways, ramps, stairways. For indoor application.

Order#	Sizes	Price\$
80-07908	2 x 20yd/ 60ft	29.05
80-00854	4 x 20yd/ 60ft	56.42





4" Mechanics Bench Vise #3 SB#32-02504

2173

Additional Sizes Available!



Utility Knife Wood Handle 3 Blade #L-6 SB#32-20467



CHAN NEL LOCK 7" Cutting Pliers Lap Joint Diagonal #337 SB# 32-08505 **\$30**<sup>75</sup>

Speed, Urgency, Accuracy



#### **Extra-Heavy Duty** 10' Aluminum **Step Ladder**

300lb load capacity, rated ANSI Type IA #3410 SB#48-00109

268

375 lb Rated

# Super-Heavy Duty

300 lb Rating

Fiberglass Step Ladders CSA Approved Grade 1AA, ANSI Type IAA Multi-funtional top with tool slots, heavy duty gusset bracing, Heavy duty boots, wrap-around spreader braces, and double-rivet step construction

Size	Order#	Part#	Price\$
4'	48-01915	6804-AA	218.89
6'	48-00099	6806-AA	295.36
8'	48-01918	6808-AA	392.81
10'	48-01919	6810-AA	508.25
12'	48-01920	6812-AA	631.20



#### Super-Heavy Duty Fiberglass Extension Ladders

Heavy duty fiberglass extension ladder has a 375lb load capacity, rated ANSI Type IAA. Riveted rung to rail. Raise from front. 1 Piece foot assembly. Heavy duty cast rung locks.

Size	Order#	Part#	Price\$
24'	68-05736	6224	793.51
28'	68-05737	6228	896.69

\*Freight may apply





### **Ball End Long Arm**

Hex Key Sets Superior ball end strength and working angle. Works in hard to reach places.

Order#	Part#	Qty	Price\$
62-03062	10999	9 Pc Metric	18.60
32-09964	10936	12 Pc SAE	19.16
32-10917	10937	13 Pc SAE	22.90
32-22668	20199	22 Pc SAE & Metric	39.08

Lifetime Warranty

### 150 Pc **Mechanics**

Professional Tool Set 1/4" & 3/8" Drive 6 Point SAE/Metric #CTK150 SB#32-07179



(C) CRESCENT

**\$147**<sup>49</sup>

### $\square K$ CLAME

Are You Using The Right Clamp? Right Clamp. Right Value. TRUE-LOK™

### **Toggle Clamps**

Jergens

Improve your clamping ability with TRUE-LOK<sup>™</sup> Toggle Clamps TRUE-LOK™ offers a range of standard styles and sizes to meet all of your application needs.

Jergens Toggle Clamps are manufactured using high quality materials to provide repeatable clamping performance for a wide range of industries/applications.

Vertical, Horizontal, Push/Pull and Latch styles available Corrosion resistant Stainless Steel clamps also available

# SB SIMPSON



#### Contour Kneepads This soft 1/2" foam rubber pad is contoured to the shape

This soft 1/2" foam rubber pad is contoured to the shape of the knee. It's designed to allow easy side to side movement on hard surfaces and can be used in wet environments.

environments. #7100 SB#80-05711

**\$23**<sup>49</sup>

### **Spray Nine**

Cleaner & Degreaser Multi Purpose, Non-Solvent

Order#	Size	Price\$
90-00271	946ml Spray	9.57
90-00092	4L Jug	26.32
90-00394	20L Pail	118.65





## Series 400 Pleated Air Filters

Extremely effective in removing many airborne irritants such as pollens, molds, dander, and dust. The low resistance improves air flow and can greatly reduce energy costs

#### **Standard Capacity**

Order#	Part#	Size(in)	Price\$
85-00154	10364	10x20x1	5.47
68-05876	10375	20x20x1	6.25
10-20368	10388	20x20x2	7.24
10-20370	10391	24x24x2	8.74

#### Caution Wet Floor Sign SB#68-07419

**\$13**<sup>69</sup>



## Figh Capacity

9		· <b>J</b>	
Order#	Part#	Size(in)	Price\$
85-00153	10445	16x25x1	6.99
85-00178	10447	20x20x1	7.58
85-00272	10448	20x25x1	7.98
85-00528	10458	16x25x2	8.16

\$289







### WypAll® Power Clean X70 Wiper Cleaning Cloths

Heavy duty cloths, with high-tech HydroKnit fast-absorbing material. premium industrial cloths are made of soft pulp fibers, bonded to a polypropylene base sheet for absorbency and tear resistance, making them suitable for removing dirt, oil, grime and solvents in a variety of industrial and manufacturing industries

Order#	Colour	Size (in)	Pkg/Qty	Price\$
85-00591	Blue	12.5 x 13.4	870/Jumbo Roll	131.91
85-00592	White	12.5x13	76/pk 12/Case	158.60
85-00662	White	9.1 x 16.8	100/Pop-Up Box	170.44
85-00143	White	10 x 13	220/Roll / Bucket	54.29



Sturdy Duramold construction. Molded-in hooks and shelves. Swivel front casters & 8" rear wheels. 46" x 21-3/4" x 38-3/8". Includes: 25 US gallon yellow vinyl bag to store wet / dry refuse. \*Cleaning tools not included. **SB#85-01253** 

Additional Janitorial Products Available!

MOLDEX



### M210 Handheld Label Maker

Take on your toughest on-site labeling challenges with the M210 Label Printer. Create fast, reliable and pre-sized labels with more material options. Simply drop in a cartridge, type and print.

Includes: (1) M21 Series Nylon Cloth Patch Panel and Wire and Cable Labels (M21-750-499), Quick Start Guide

#170422 SB#68-02348





### Fall Protection Compliance Kit

Kit Includes: Harness: 5-point Adjustment/ Dorsal D-Ring/ Lanyard Keeper and Pass-Through Buckles. 2 Ft. E4 Energy Absorber with attached Rope Grab. 50 Ft Rope Lifeline. Reusable Roof Achorage Connector. **SB#80-05590** 

Only... \$165

### SparkPlugs<sup>®</sup> Earplugs

Highest independently tested NRR. Extra-soft, low-pressure foam for comfort and fit. Tapered shape for easy insertion and removal. Shaped to fit even very small ear canals. Non-irritating smooth surface.

Look for the exclusive colored streaks and swirls as a symbol of Moldex quality. 100% PVC-Free, like all Moldex products & packaging - for a greener alternative.

Order#	Part#	Description	Price\$
80-01676	6604	Uncorded 200/box	35.76
80-09638	6654	Corded 100/box	39.82

#### Glide Foam Twist-In Earplus And PlugStation® Glide Foam Twist-in earplugs are made of

Glide Foam Twist-in earplugs are made of extra-soft, extra light foam. Their tapered shape fits easily in the ear canal, and seals gently and snugly. NRR 30dB. 150 pairs #6883 SB#80-10330

**\$126**<sup>59</sup>

### Reusable Silicone Half Mask **Respirator**

Silicone has enhanced comfort and durability with higher resistance to heat and compression. Sleek design for modern, high-tech look and increased worker acceptance. Light weight design plus extra-wide sealing area provides allday comfort. ow profile, compact design fits well under welding helmets and with safety glasses. Series 7800



100% PVC-Free

### Filters & Cartridges

Full range of gas/vapor cartridges for most common applications and environments are available



Order#	Part#	Description	Price\$
80-10321	7100	Organic Vapor Cartridges 2/pk	17.08
80-10360	7300	Organic Vapor/Acid Gas Cartridge 2/pk	18.15
80-10340	7640	P100 Multi-Gas Cartridge 2/pk	41.23

#### Order# Size 80-10316 Medium 80-10317 Large \$51<sup>36</sup>

#### Our People. Our Products, YOUR Success!

## 3M<sup>™</sup> Secure Click<sup>™</sup>

SB SIMPSON

Full Facepiece Reusable Respirator Quick, easy, one-touch positive pressure push button seal check helps provide improved confidence in respirator fit. Two dual-flow cartridges on each respirator combine to create the world's first quad flow cartridge systems with four airflow paths providing easy breathing and comfort. Large lens, and treated with Scotchgard<sup>™</sup> Protector. Six-strap harness. Speaking diaphragm.

Order#	Part#	Size	
80-09974	FF-801	Small	<b>\$323</b> <sup>00</sup>
80-10053	FF-802	Medium	ຉຉຆຉ
80-09976	FF-803	Large	+



3M



#### N95 Disposable Particulate **Respirator No Valve**

Provides comfortable, reliable worker protection against certain non-oil based particles. Welded strap attachment, soft nose foam & adjustable noseclip to help provide a custom fit and secure seal. #8210 (20/Box) SB#68-04740





#### N95 Disposable Particulate **Respirator with Valve**

Provides comfortable, reliable worker protection against certain non-oil based particles. Welded strap attachment, soft nose foam & adjustable noseclip to help provide a custom fit and secure seal. Suited for work that involve heat, humidity, or long periods of wear. 10/Box #8511 SB#80-00164

\$25<sup>95</sup>/bx



Get 3M<sup>™</sup> Reusable Respirator facepieces at no charge\* in exchange for competitive facepieces and your purchase of 3M<sup>™</sup> Cartridges and/or Filters.\*\*

3M



#### **Solus Protective** Eyewear

Clear Scotchgard Anti-Fog Lens Green Frame With Foam Gasket #7100196393 SB#80-08649





# Optime<sup>™</sup>105

Cap Mount Earmuff For noise levels up to 105 dBA. Twin-Cup™ design has soft, foam-filled earmuffs for enhanced hearing protection for wear with most hard hats. Liquid/foam filled earmuff cushions for comfortable long-term wear.

#H10P3E SB#80-01801





### Foam Ear Plugs

Tapered, soft, foam ear plugs that conform to the unique shape of each ear for excellent hearing protection and comfort. Noise Reduction Rating (NRR): 29 dB

Order#	Part#	Type & Quantity	Price\$
80-01027	1100	Uncorded 200 pairs/box	35.05
80-00168	1110	Corded 100 pairs/box	44.40

100% Canadian - Since 1960

### **Ridgeline Hard Hats**

10% lighter and 66x stronger than competing HDPE, the Ridgeline hard hat boasts a sleek low-profile design, rear padded suspension, stylish hydro dipped options,

#### Ridgeline<sup>®</sup> Cap Style

<b>\$14</b> <sup>99</sup>	

Order# Colour 80-11373 White Yellow 80-11375 80-11376 Hi Vis Lime 80-11377 Dark Blue

RIDGELINE

#### **Ridgeline® Full Brim**

Goggles Clear H2X Anti-fog, Vented #G304T SB#80-06028

**\$40**<sup>95</sup>

Chemical

**\$6**<sup>89</sup>

Order# Colour 80-11378 Matte White Shiny White 80-11379 80-11380 Matte Red 80-11381 Matte Blue



Custom imprinting with your Company's logo available!



More colours available

# ΔΜΕΧ



### **PMX Safety**

Eyewear Customizable fit, panoramic vision, superior protection, anti-fog clarity, and built tough to meet high impact standards while shielding from UV rays (CAN/CSA Z94.3-20) Spectrum Mirror lens ¥ SB11295S⊺ SB#80-11383

### **9**35



### Carhartt Carbondale Safety Eyewear Anti-fog, Flexible rubber nosepiece.

Co-injected temples. Dark Gray Lens #CHBG223DT SB#80-11415

**SQ**69





**High-Visibility** 3M Scotchlite Reflective Trim

### **FR Reflective** Cotton Coveralls

100% cotton 9oz FR coverall with reflective trim meets or exceeds NFPA 2112, and is UL certified. Loaded with features including a pleated bi-swing back and elastic waist to deliver more freedom of movement and snaps are FR fabric covered for maximum protection. The coverall is also constructed throughout with FR thread. Several pockets upper and lower body, Adjustable sleeve cuffs, Flared leg cuffs. **#C081RTC13 - Blue** Sizes Small to 2XLarge

\$150

#### Westex® DH 6.5 oz **Hi-Viz Coveralls**

Flame resistant, hi-visibility coveralls are made with Westex DH 6.5 oz fabric for active moisture wicking capabilities and a soft, comfortable feel. Paired with 3M Scotchlite Reflective Trim, this high visibility FR coverall is a great choice when a job calls for visibility compliance.

**#TSP010L Size: Small to 5XL** Length: 30" & 32"

Call For Pricing



Responsive, Reliable, Helping, Humans.

### DuPont<sup>™</sup> Tyvek<sup>®</sup> **400 Secondary** Flame Resistant Coveralls

SB SIMPSON

Garments are lightweight, disposable secondary flame-resistant overgarments designed to help

protect and preserve primary flame-resistant garments, while providing an ideal balance of protection, durability, and comfort.

In the event that a flash fire occurs, Tyvek® 400 SFR garments won't ignite and won't contribute to additional burn injury if appropriate primary flame-resistant personal protective equipment, such as DuPont<sup>™</sup> Nomex®, is worn beneath.

## < OUPONT . **Fyvek**

DuPont<sup>™</sup> Tyvek® 400 SFR Coverall. Relaxed Fit Design. Collar. Storm flap. Red Zipper. Open Wrists and Ankles. Red External Serged Seams. White.

Order#	Size	
80-11075	Medium	
80-11076	Large	
80-11077	X-Large	<b>¢ 1</b>
80-11078	2X-Large	J
80-11095	3X-Large	- T -



#### \*\* Contact us to schedule your Hazard Risk Assessment \*\*

### Inspection **Glove/Liner**

Light weight cotton string knit inspection glove with cuff – sweat liner 6 pairs/pack # 65-210 Size 8/Medium SB#80-11191





### **Heat-Resistant**

**N**20

Terry Cloth Gloves Terry knit fabric provides abrasion and heat resistance Protects Up To 212° F (100° C). Absorbs liquids and perspiration for added dexterity and comfort. Large

Order#	ltem	Price\$
80-10830	Terry Wrist	1.28
80-11418	Knit Wrist	1.60



#### HyFlex® 11-801 Foam Nitrile Industrial Gloves

Industrial safety gloves with 30% greater breathability and a dirt-masking dark liner Darker liner: For safety gloves suited to dirty or oily conditions Breathable nitrile coating: PPE gloves that offer all-day comfort ZONZ<sup>™</sup> Comfort Fit Technology: Reduced tension, greater usability

\$3<sup>65</sup> /pr

Order#	Size
80-10399	Small
80-10400	Medium
80-10299	Large
80-09835	XLarge
80-10401	2XLarge

## Ansell



#### **Stealth Heavy Artillery Crinkle Latex** Coated Gloves

13gg hi-vis orange polyester shell Highly touch-sensitive with crinkle latex palm for a sure-grip Open back design keeps hands cool Snug-fitting knit wrist #397X6

Order# Size 80-09287 Large 80-08675 XLarge







Speed, Urgency, Accuracy



### **Hi-Viz Lined Canvas Coverall**

#### FEATURES

- Made of 10 oz cotton canvas
- Polyester quilted taffetas lining and 7 oz polyfill insulation
  Double stitched 2 in reflective tape over 4 in contrast stripe (1)
- Detachable hood with draw cord and 2 levels of snaps (2)
- Front 2-way metal zipper under storm flap
- 2-way ankle to hip metal zipper under storm flap
- Ribbéd knit cuffs inside the sleeves (3)
- Double fabric reinforcement at the knee
- 2 microphone loops
- · 2 chest pockets with flap

· 2 waist pockets with flap Available in sizes: S-5XL

Coverall# Colour 1165710R Orange 1165710BK Black



Insulated to keep you nice and warm in the harshest winter conditions!



### \$159<sup>95</sup>

#### TenActiv™ Hi-Viz Cut Protection Glove

For hand movement and light material handling of oily parts. rovides 360° cut protection with ANSI A6 cut resistance Ultra-thin for improved hand movement Micropore nitrile palm coating for steady grip in wet or oily conditions Sizes: 6 to 12 #S21TAXGPN

### \$11<sup>68</sup> /pr



### Endura® **Hi-Viz Reflective**

#### **Drivers Glove**

Goatskin leather gloves with flexible hi-viz retro-reflective back for better visibility and mobility. Flexible knit back features a 3M<sup>™</sup> Scotchlite retro-reflective stripe for visibility while goatskin leather palms help improve dexterity and durability for a longer wear life. Sizes Sm - 3XL #378GAHVB

\$5<sup>65</sup>/pr



### TenActiv<sup>™</sup> Cut Resistance Low-Linting

Glove

Low-linting cut resistance to prevent contamination plus steady dry grip and better touch sensitivity. provides 360° cut protection with ANSI A5 cut resistance and a polyurethane palm dip coating provides steady dry grip and tactile feel

Sizes 5-12 #S13TAFGPU





High-visibility with outstanding grip and comfort hi-viz green back-of-hand with retroreflective striping. Palm strips increase grip and reduce bunching. The cut-resistant TenActiv™ liner is soft, cool to the touch and more breathable than other liner materials. Sm - 2XL #378GTXHVB

\$13<sup>95</sup>/ pr



Industrial Products & Solutions Since 1960

superiorglove

### **SB SIMPSON** INDUSTRIAL 🕈 SUPPL



**Replenish Your First Aid Kits!** 

### Sterile Isotonic **Eyewash Solution**

- with Sterile Eye Cup Built-in sterile eye cup designed to keep your eyelid open ensuring a gentle and effective rinse
- A sterile preservative free solution that flushes irritants, debris and removes foreign materials from the eyes
- Soothes burning, stinging, irritated eyes
  Fast, effective and safe 16oz
- SB#80-05636

**Safety Vest** 

• CSA Z96-09 Class 2, Level 2.

SB#80-09608

**\$6**<sup>99</sup>

5-Point Tear-Away

Orange SB#80-00969

• 100% polyester mesh. 2" Generic, Back "X"

One Size

Lime



### First Aid Kits

Ontario regulation

Order#	Person Plastic Case	Price\$
80-00429	1-5 Basic 10 Unit Section 8	12.29
80-00430	6-15 Basic 16 Unit Section 8	22.36
80-00431	16-200 Basic 36 Unit Section 10	51.71
	Metal Case	
80-05946	6-15 Deluxe Unitized Section 9	59.76
80-00014	16-200 Basic Unitized Section 10	89.31



#### Premoistened Sprays Refills

Order#	Description	Pr
80-02003	Premoistened Towellettes 100/box	
68-06458	8oz Cleaner & 600 Wipes Station	1
80-02002	16oz Cleaner & 1,200 Wipes	1



### **Response**<sup>®</sup> **Hand Sanitizer**

#### Gel with Aloe

#88-02 SB#80-00707

Superior hand sanitizer made with 70% Ethyl Alcohol. Kills harmful bacteria and germs. Gentle quick-drying formula. Enriched with five botanical extracts including Aloe Vera leaving your hands fully moisturized. 250 ml Pump Bottle

506





### **Emergency Spills? Be Prepared**

### Absorbent Socks & Pads for Spills

Order#	Description	Size	Qty	Price\$/Cs
68-06141	Pad White Oil Only	15"x18"	100/cs	62.92
80-04090	Pad White Oil Heavy Weight	15"x18"	100/cs	76.06
80-00366	Pad Grey Economy	15"x18"	100/cs	64.34
80-02095	Pad Grey Universal	15"x18"	100/cs	77.83
68-45582	Pad Grey HD Universal Perforated Roll	15"x150'	2 Roll/cs	135.67
85-00206	Sock Grey Universal	3"x4'	each	3.31
80-01564	Sock White Oil Only	3"x4'	each	3.61

#### Because We Like To Help.



18" Mesh Beard Covers Honeycomb mesh beard covers are manufactured with a non-binding latexfree elasti tieback. 100/Bag SB# 80-05384





Safety Eyewear Clear Scratch Resistant Lens Black Rubberized Arm Tips SB#80-01018





White Disposable Hair Nets Pleated, made from 100% non-woven polypropylene. Latex-free

Order#	Size	Price\$
80-07606	21"	4.50
80-02850	24"	4.99

Powder Free Nitrile 4 – 5 Mil

**Blue Disposable Gloves** 

100/Box Small to X-Large

**\$6**<sup>25</sup> /box



Disposable Particulate Mask 50/Box Not NIOSH SB#85-00249





Powder Free Nitrile 6 Mil Black Disposable Gloves 100/Box Small to X-Large

**\$9**<sup>99</sup> /box



A4 Cut Resistant Task Gloves Touchscreen Polyurethane palm coated 13ga HPPE





PU Palm Coated Black Task Gloves X-Small to 2X-Large





PVC-Dotted Economy Knit Gloves 7-gauge. cotton/poly blend is cool, comfortable and launders extremely well.



Our People. Our Products. YOUR Success!

31

# Did you know we have a large selection of Industrial Fasteners and Fittings?

Bolts • Screws • Nuts • Nails • Rivets • Washers • Anchors & More

SB SIMPSON

Available in various styles and sizes

If you don't see it for your application, we will source it!



**OSHAWA** 

### Take Control Of Your Inventory With SB Simpson's Inventory Management & Vending Solutions

sbsimpson.com

-855-SIMPSON

- Enhance Efficiency
- Improve Inventory Control
- Elevated Safety Culture
- Streamlined Supply Chain
- Cost Reduction of 20 40%

Are you ready to simplify your Inventory Management? Contact SB Simpson today to learn more about our VMI program.

ph: 519-273-0822

### SAVE TIME • SAVE LABOUR • SAVE DOLLARS



Prices subject to change. Product availability subject to delivery by manufacturer. We reserve the right to correct pricing errors. Products may not be exactly as shown. Quantities are limited. We reserve the right to substitute products of equal value. All applicable taxes extra. Delivery charges may apply if outside our service area. Additional Freight charges may apply on large, heavy items.

STRATFORD

ph: 905-723-1511

Expires: February 28, 2025