


Promo starts on **February 3, 2025** at participating distributors, while supplies last*

 **WALTER**
Achieve Greatness™

PROMOTION BEYOND THE GRAIN

 **SB
SIMPSON**
INDUSTRIAL SUPPLIES

FLAP DISCS - SANDING DISCS - CLEANERS



**RECEIVE A FREE*
WALTER CAP**



*Offer applies to select products.
See back cover for more details.

Advanced Solutions for a Flawless Finish Every Time

WALTER has developed exclusive technologies that go **BEYOND THE GRAIN** to provide the longest lasting and most productive ceramic solutions available today!

**MAX
LIFE™**
GLUE

V-STRONG™
BACKING TECHNOLOGY

NEW

NEW



*Please contact your local authorized WALTER distributor for more details.

FLAP DISCS



SERIES: 06A, 06B, 06F, 06U, 06W, 06Y, 15I, 15Q, 15R, 15U, 15W, AND 15Y

ENDURO-FLEX™

Longest life and highest overall material removal in the industry



TYPE 27S **SPIN-ON**

| Dia. | Arbor | Grit 40 | Grit 60 | Grit 80 | Grit 120 |
|------|--------|---------|---------|---------|----------|
| 4½" | ⅝"-11" | 06B454 | 06B456 | 06B458 | 06B462 |
| 5" | ⅝"-11" | 06B504 | 06B506 | 06B508 | 06B512 |
| 6" | ⅝"-11" | 06B604 | 06B606 | 06B608 | 06B612 |

TYPE 27

| Dia. | Arbor | Grit 40 | Grit 60 | Grit 80 | Grit 120 |
|------|-------|---------|---------|---------|----------|
| 4½" | ⅞" | 15R454 | 15R456 | 15R458 | 15R462 |
| 5" | ⅞" | 15R504 | 15R506 | 15R508 | 15R512 |
| 6" | ⅞" | 15R604 | 15R606 | 15R608 | 15R612 |
| 7" | ⅞" | 15R704 | 15R706 | 15R708 | 15R712 |

Always use with flange 30-B 057

Standard package 10

ENDURO-FLEX™ TURBO

100% ceramic grain delivering the fastest removal rate in the industry, now with +25% more life!



TYPE 27S **SPIN-ON**

| Dia. | Arbor | Grit 36/60 | Std. Pkg. | Std. Ctn. |
|------|------------------|------------|-----------|-----------|
| 4½" | ⅝"-11" | 06A452 | 10 | 40 |
| | ⅝"-11" metal hub | 06A457 | 10 | 40 |
| 5" | ⅝"-11" | 06A502 | 10 | 40 |
| 6" | ⅝"-11" | 06A602 | 10 | 40 |
| | ⅝"-11" metal hub | 06A707 | 10 | 40 |

TYPE 27

| Dia. | Arbor | Grit 36/60 | Std. Pkg. | Std. Ctn. |
|------|-------|------------|-----------|-----------|
| 4½" | ⅞" | 06A462 | 10 | 40 |
| 5" | ⅞" | 06A512 | 10 | 40 |
| 7" | ⅞" | 06A712 | 10 | 40 |

TYPE 29

| Dia. | Arbor | Grit 36/60 | Std. Pkg. | Std. Ctn. |
|------|------------------|------------|-----------|-----------|
| 4½" | ⅞" | 06A482 | 10 | 40 |
| 4½" | ⅝"-11" metal hub | 06A487 | 10 | 40 |
| 5" | ⅞" | 06A532 | 10 | 40 |
| 5" | ⅝"-11" metal hub | 06A537 | 10 | 40 |

Always use with flange 30-B 057

ENDURO-FLEX™ STAINLESS

Guaranteed not to contaminate stainless steel



TYPE 27S **SPIN-ON**

| Dia. | Arbor | Grit 40 | Grit 60 | Grit 80 | Grit 120 |
|------|--------|---------|---------|---------|----------|
| 4½" | ⅝"-11" | 06F454 | 06F456 | 06F458 | 06F462 |
| 5" | ⅝"-11" | 06F504 | 06F506 | 06F508 | 06F512 |
| 6" | ⅝"-11" | 06F604 | 06F606 | 06F608 | 06F612 |

Standard package 10

TYPE 27

| Dia. | Arbor | Grit 40 | Grit 60 | Grit 80 | Grit 120 |
|------|-------|---------|---------|---------|----------|
| 4½" | ⅞" | 15Q454 | 15Q456 | 15Q458 | 15Q462 |
| 5" | ⅞" | 15Q504 | 15Q506 | 15Q508 | 15Q512 |
| 7" | ⅞" | 15Q704 | 15Q706 | 15Q708 | 15Q712 |

Always use with flange 30-B 057

Standard package 10

ENDURO-FLEX ALU™

High-performance flap disc for aluminum surfaces and non-ferrous alloys



TYPE 27S **SPIN-ON**

| Dia. | Arbor | Grit 40 | Grit 60 | Grit 80 |
|------|--------|---------|---------|---------|
| 4½" | ⅝"-11" | 06U454 | 06U456 | 06U458 |
| 5" | ⅝"-11" | 06U504 | 06U506 | 06U508 |
| 6" | ⅝"-11" | 06U604 | 06U606 | 06U608 |

TYPE 27

| Dia. | Arbor | Grit 40 | Grit 60 | Grit 80 |
|------|-------|---------|---------|---------|
| 7" | ⅞" | 15U704 | 15U706 | 15U708 |

Always use with flange 30-B 057

Standard package 10

ENDURO-FLEX 2-IN-1™

Blend and finish in one-step



TYPE 27S **SPIN-ON**

| Dia. | Arbor | Order No. | Grit |
|------|--------|-----------|------|
| 4½" | ⅝"-11" | 15I453 | 150 |
| 5" | ⅝"-11" | 15I503 | 150 |

ENDURO-FLEX 2-IN-1 TURBO™

Fast, versatile finishing



TYPE 27S **SPIN-ON**

| Dia. | Arbor | Order No. | Grit |
|------|--------|-----------|------|
| 4½" | ⅝"-11" | 15I451 | 100 |
| 5" | ⅝"-11" | 15I501 | 100 |

Always use with flange 30-B 057

Standard package 10

ALLSTEEL™

Industrial grade flap discs for a variety of applications



TYPE 27

| Dia. | Arbor | Grit 40 | Grit 60 | Grit 80 | Grit 120 |
|------|-------|---------|---------|---------|----------|
| 4½" | ⅞" | 15W454 | 15W456 | 15W458 | 15W462 |
| 5" | ⅞" | 15W504 | 15W506 | 15W508 | 15W512 |
| 6" | ⅞" | 15W604 | 15W606 | 15W608 | 15W612 |

Also available in 5/8"-11 arbor

Standard package 10

ALLSTEEL™ TURBO

100% zirconia grain & low flap configuration for increased removal rate



TYPE 27

| Dia. | Arbor | Grit 40 | Grit 60 | Grit 80 |
|------|-------|---------|---------|---------|
| 4½" | ⅞" | 15Y454 | 15Y456 | 15Y458 |
| 5" | ⅞" | 15Y504 | 15Y506 | 15Y508 |
| 6" | ⅞" | 15Y604 | 15Y606 | 15Y608 |

Also available in 5/8"-11 arbor

Standard package 10

NEW BLENDX™ FLAP DISCS

Combine the aggressive material removal of a flap disc with the smooth finish and versatility of a surface conditioning disc



TYPE 27

| Dia. | Arbor | Grade | Equivalent Grit | Order No. | Std. Pkg. |
|------|-------|----------|-----------------|-----------|-----------|
| 4½" | ⅞" | X-Coarse | 40 | 15-I 454 | 10 |
| 4½" | ⅞" | Coarse | 80 | 15-I 458 | 10 |
| 4½" | ⅞" | Medium | 180 | 15-I 468 | 10 |
| 4½" | ⅞" | Fine | 280 | 15-I 478 | 10 |
| 5" | ⅞" | X-Coarse | 40 | 15-I 504 | 10 |
| 5" | ⅞" | Coarse | 80 | 15-I 508 | 10 |
| 5" | ⅞" | Medium | 180 | 15-I 518 | 10 |
| 5" | ⅞" | Fine | 280 | 15-I 528 | 10 |

Additional products and sizes available, consult the listing for full details or contact your WALTER Territory Manager for information.

SANDING DISCS



SERIES: 15A, 15C, 15D, 15E, 15F, 15G, 15M, 15N, 15P AND 15X

NEW XTRACUT XX™

Self-sharpening ceramic disc with exceptional removal rates



| Dia. | Arbor | Grit 36+ | Grit 60+ | Grit 80+ |
|--------|-------|----------|----------|----------|
| 4 1/2" | 7/8" | 15N453 | 15N456 | 15N458 |
| 5" | 7/8" | 15N503 | 15N506 | 15N508 |
| 6" | 7/8" | 15N603 | 15N606 | 15N608 |
| 7" | 7/8" | 15N703 | 15N706 | 15N708 |

Standard package of 25

XTRACUT™

Highest performance sanding discs in steel



| Dia. | Arbor | Extra Coarse | Coarse | Medium |
|--------|-------|--------------|--------|--------|
| 4 1/2" | 7/8" | 15A453 | 15A456 | 15A458 |
| 5" | 7/8" | 15A503 | 15A506 | 15A508 |
| 6" | 7/8" | 15A603 | 15A606 | 15A608 |
| 7" | 7/8" | 15A703 | 15A706 | 15A708 |

Standard package of 25

XTRACUT™ QUICK-CHANGE

For faster disc change-outs



| Dia. | Arbor | Extra Coarse | Coarse | Medium |
|--------|---------|--------------|--------|--------|
| 4 1/2" | 5/8"-11 | 15A473 | 15A476 | 15A478 |
| 5" | 5/8"-11 | 15A523 | 15A526 | 15A528 |
| 7" | 5/8"-11 | 15A723 | 15A726 | 15A728 |

Standard package of 25

FLAP WHEELS



COOLCUT™

Consistent high quality finish



| Dia. | Width | Grit 40 | Grit 60 | Grit 80 | Grit 120 | Grit 240 |
|--------|--------|---------|---------|---------|----------|----------|
| 1 1/2" | 3/8" | 15F004 | 15F006 | 15F008 | 15F012 | — |
| 1" | 3/8" | 15F054 | 15F056 | 15F058 | 15F062 | — |
| 1 1/2" | 1" | 15F104 | 15F106 | 15F108 | 15F112 | 15F124 |
| 1" | 1" | 15F154 | 15F156 | 15F158 | 15F162 | — |
| 2" | 3/8" | 15F204 | 15F206 | 15F208 | 15F212 | — |
| 2" | 1" | 15F304 | 15F306 | 15F308 | 15F312 | 15F324 |
| 2 1/2" | 1 1/2" | 15F504 | 15F506 | 15F508 | 15F512 | 15F524 |
| 3" | 1" | 15F704 | 15F706 | 15F708 | 15F712 | — |
| 3" | 1 1/2" | 15F804 | 15F806 | 15F808 | 15F812 | 15F824 |
| 3" | 2" | 15F904 | 15F906 | 15F908 | 15F912 | — |

TWO-IN-ONE™

Combine two steps in one



| Dia. | Width | Medium | Fine | Extra Fine | Extra Fine Flex | Polishing |
|------|--------|--------|--------|------------|-----------------|-----------|
| 2" | 1" | — | 15E124 | 15E126 | — | — |
| 3" | 1 3/4" | 15E162 | 15E164 | 15E166 | 15E167 | 15E168 |
| 3" | 1 1/2" | 15E652 | 15E654 | 15E656 | — | 15E658 |
| 6" | 1" | — | 15E295 | 15E296 | — | — |

COOLCUT™

For use on straight and bench grinders



| Dia. | Width | Grit 60 | Grit 80 | Grit 120 |
|--------|-------|---------|---------|----------|
| 6 1/2" | 1" | 15G206 | 15G208 | 15G212 |
| 6 1/2" | 2" | 15G306 | 15G308 | 15G312 |

COOLCUT XX™

Provides aggressive material removal rates and the longest life on various metals



| Dia. | Arbor | Grit 24 | Grit 36 | Grit 50 | Grit 60 | Grit 80 | Grit 100 | Grit 120 |
|--------|-------|---------|---------|---------|---------|---------|----------|----------|
| 4 1/2" | 7/8" | 15X452 | 15X453 | 15X455 | 15X456 | 15X458 | 15X460 | 15X462 |
| 5" | 7/8" | 15X502 | 15X503 | 15X505 | 15X506 | 15X508 | 15X510 | 15X512 |
| 6" | 7/8" | 15X602 | 15X603 | 15X605 | 15X606 | 15X608 | 15X610 | 15X612 |
| 7" | 7/8" | 15X702 | 15X703 | 15X705 | 15X706 | 15X708 | 15X710 | 15X712 |

Standard package of 25

COOLCUT XX™ QUICK-CHANGE

Now with SPIN-ON™ system



| Dia. | Arbor | Grit 36 | Grit 50 | Grit 60 | Grit 80 | Grit 120 |
|--------|---------|---------|---------|---------|---------|----------|
| 4 1/2" | 5/8"-11 | 15X473 | 15X475 | 15X476 | 15X478 | 15X482 |
| 5" | 5/8"-11 | 15X523 | 15X525 | 15X526 | 15X528 | 15X532 |
| 7" | 5/8"-11 | 15X723 | — | 15X726 | 15X728 | 15X732 |

Standard package of 25

BACKING PADS

HIGH PERFORMANCE RUBBER BACKING PAD ASSEMBLIES



| Dia. | Arbor | Description | Order No. | Std. Pkg. | Std. Ctn. |
|--------|---------|------------------------|-----------|-----------|-----------|
| 4 1/2" | 5/8"-11 | BACKING PAD ASSEMBLIES | 15D044 | 1 | 10 |
| 5" | 5/8"-11 | BACKING PAD ASSEMBLIES | 15D054 | 1 | 10 |
| 6" | 5/8"-11 | BACKING PAD ASSEMBLIES | 15D064 | 1 | 10 |
| 7" | 5/8"-11 | BACKING PAD ASSEMBLIES | 15D027 | 1 | 10 |
| 4" | 5/8"-11 | RUBBER BACKING PAD | 15D144 | 1 | 10 |
| 5" | 5/8"-11 | RUBBER BACKING PAD | 15D154 | 1 | 10 |
| 6" | 5/8"-11 | RUBBER BACKING PAD | 15D164 | 1 | 10 |
| 7" | 5/8"-11 | RUBBER BACKING PAD | 15D127 | 1 | 10 |

TURBO BACKING PAD ASSEMBLIES

Special saucer shaped backing pad with ribbed backing

| Dia. | Arbor | Black | White | Std. Pkg. | Std. Ctn. |
|--------|---------|--------|--------|-----------|-----------|
| 4 1/2" | 5/8"-11 | 15M044 | 15M045 | 1 | 10 |
| 5" | 5/8"-11 | 15M054 | 15M055 | 1 | 10 |
| 6" | 5/8"-11 | 15M064 | 15M065 | 1 | 10 |
| 7" | 5/8"-11 | 15M007 | 15M008 | 1 | 10 |

Additional products and sizes available, consult the listing for full details or contact your WALTER Territory Manager for information.

CLEANERS & DEGREASERS

SERIES: LIMITED ITEMS FROM 53C AND 53G

HIGH-STRENGTH CITRUS-BASED DEGREASER

NEW SC 400™ LOW VOC

Formulated with citrus peel extracts, this heavy-duty cleaner effectively removes tar, bitumen, grease, lubricants, and oils.



| Description | Size | | Order No. | SDS | Std. Pkg. |
|-------------|--------|----------|-----------|-------|-----------|
| | Metric | US Gal | | | |
| Sprayer | 500 ml | 16.9 oz. | 53G653 | L-202 | 12 |
| Liquid | 3.78 L | 1 gal | 53G655 | L-202 | 1 |
| Liquid | 20 L | 5.2 gal | 53G657 | L-202 | 1 |
| Liquid | 208 L | 55 gal | 53G658 | L-202 | 1 |

CLEANER & DEGREASER

CB 100™

Next-generation cleaning technology. Powered by our exclusive Nature Boost™ formula, unsurpassed in its ability to remove the most stubborn industrial contaminants.

NSF category C1, registration #148555



| Description | Size | | Order No. | SDS | Std. Pkg. |
|-------------|--------|----------|-----------|-------|-----------|
| | Metric | US Gal | | | |
| Sprayer | 500 ml | 16.9 oz. | 53G163 | L-155 | 12 |
| Liquid | 3.78 L | 1 gal | 53G165 | L-155 | 1 |
| Liquid | 20 L | 5.2 gal | 53G167 | L-155 | 1 |
| Liquid | 208 L | 55 gal | 53G168 | L-155 | 1 |

PRODUCT SPOTLIGHT

GENERAL DEGREASER

SLAP SHOT™ LOW VOC



Canada 2024 VOC-compliant heavy-duty degreaser: <10% VOCs, eco-friendly, tackles grease, oil, and grime without residue for a cleaner, healthier environment.



| Description | Size | | Order No. | SDS | Std. Pkg. |
|-------------|--------|----------|-----------|-------|-----------|
| | Metric | US Gal | | | |
| Aerosol | 500 ml | 16.9 oz. | 53C512 | L-200 | 12 |
| Sprayer | 500 ml | 16.9 oz. | 53C513 | L-201 | 12 |
| Liquid | 3.78 L | 1 gal | 53C516 | L-201 | 1 |
| Liquid | 20 L | 5.2 gal | 53C517 | L-201 | 1 |
| Liquid | 200 L | 52.8 gal | 53C519 | L-201 | 1 |

CLEANER & DEGREASER - NON FERROUS METALS

CB 100 ALU™

Powerful cleaner/degreaser with Nature Boost™ technology. Specifically formulated for aluminum and sensitive alloys, akin to CB 100™.

NSF category A1, registration #163931



| Description | Size | | Order No. | SDS | Std. Pkg. |
|-------------|--------|----------|-----------|-------|-----------|
| | Metric | US Gal | | | |
| Sprayer | 500 ml | 16.9 oz. | 53G123 | L-158 | 12 |
| Liquid | 3.78 L | 1 gal | 53G125 | L-158 | 1 |
| Liquid | 20 L | 5.2 gal | 53G127 | L-158 | 1 |
| Liquid | 208 L | 55 gal | 53G128 | L-158 | 1 |

RECEIVE A FREE*
WALTER CAP



For every purchase of 2 packs of WALTER flap discs, sanding discs, or flap wheels included in the promotion.

*Valid for select products. While supplies last. Available at participating WALTER distributors.

Available at:



1-888-592-5837
walter.com

*Some conditions apply. Other skus may qualify. See your participating WALTER dealer or contact your WALTER Territory Manager for details. WALTER Surface Technologies Inc © 2025 All rights reserved. Limited time offer, while supplies last. All taxes extra. Available at participating WALTER distributors. Promo starts on February 3, 2025.