FALL & WINTER



RE-TOOL YOUR METAL SHOP

PRICES IN EFFECT UNTIL DECEMBER 31ST, 2025

MILLING DRILLING MACHINE with SAFETY GUARD & LIMIT SWITCH

PDM-30

- 16 1/2" swing
 1 1/4" Drilling capacity
 3" Face mill capacity
- 5" stroke Spindle taper R8
- 12 speeds (150-2500 RPM)

OPTIONAL TABLE POWERFEED

ATTACHMEN1 PFM-32

For # PDM-30 **\$679.**

5 PC. ACCESSORY BONUS PACKAGE FREE # (#) B

OPTIONAL

MILLING DRILLING MACHINE STAND

SS-45 **\$399.**99 **STATIONARY**

6.5 PEAK HP **60 GALLON AIR COMPRESSOR**

- KC-6160V2
- 150 PSI max pressure 13.4 CFM @ 40 PSI
- 11.2 CFM @ 90 PSI

2 cylinder cast iron single stage oil lubricated pump

7" X 12" METAL **CUTTING BANDSAW** KC-712BC

- 11.5 Amp. motor
- Coolant system
- Adjustable ball bearing guides
 4 speeds (85-130-180-235 FPM)



				The second				
	NAME OF TAXABLE PARTY.	H.S.S. & BI-METAL BLADES ("SKIP TOOTH")						
	90' Distribution	Model	Length	Width	Blade Material	TPI	Thickness	Price
	1	KBB-712-10	93"	3/4"	H.S.S.	10	.032"	\$29.99
1	(B)	KBB-712-14	93"	3/4"	H.S.S.	14	.032"	\$29.99
	100000	KBB-712-18	93"	3/4"	H.S.S.	18	.032"	\$29.99
	(perce /	KBB-712-BM-610	93"	3/4"	Bi-Metal	6-10	.032"	\$89.99
		KBB-712-BM-1014	93"	3/4"	Bi-Metal	10-14	.032"	\$89.99

THE MOST INNOVATIVE DRILL PRESSES EVER!

nova ® VIKING PAR: KING INDUSTRIAL **CV/**

16" NOVA VIKING **BENCHTOP DVR DRILL PRESS**

83702

Amp.

\$2999

KING

Thermally protected

Marathon® 6.5 peak

HP motor with reset

- Powerful direct drive 1 HP high torque motor with no
- Comes with 5/8" drill chuck & key, firmware USB cable



\$1599.99

16" X 20" COMBO

and tool box with adjusting tools

LATHE/MILL

KC-1620CLM

OPTIONAL

SS-1620CLM

STAND

16" NOVA VIKING **DVR DRILL PRESS** 83705



- Powerful direct drive 1 HP high torque mot with no pulleys or be Spindle taper MT #2
- Comes with 5/8" drill at & key, firmware USB cable

Two powerful 3/4 HP 110V motors

\$3299

\$1799

18" NOVA VOYAGER **DVR DRILL PRESS** 58006



\$399.

- Powerful direct drive 1.75 HP high torque motor with no pulleys or belts Spindle taper MT #2 Comes with 5/8" drill chuck
- & key, firmware USB cable

\$2499

14" DRY-CUT METAL **CUTTING CHOP SAW** KC-8314

- Powerful 15 Amp., 1,450 RPM motor High quality 14" TCG/FTG Chop Saw blade included for cutting mild steel and ferrous metals
- Quick release vise with adjustable positive stops a 0°, 15°, 25°, 45° Comes with 14" X 72 carbide tooth
- TCG/FTG Chop Saw blade and adiustment



Replacement 14" Dry-cut metal 147 cutting chop saw blade 14" x 72T \$119.99 14" x 72T **KSC-1472**

3200 PSI GASOLINE HIGH PRESSURE WASHER KPW-3200 Comes with 5"- 3 jaw chuck, imperial & metric change gears, quick change tool post with 1/2" capacity, steady rest, follow rest, thread chasing dial indicator, MT#3 & Two powerful 3/4 HP 110V motors

• 3200 PSI, 2.5 GPM maximum water flow

Low oil shut-off system Comes with stainless steel

wand, 30' high pressure hose, garden hose inlet with screen filter, 12" wheels for portability and 5 quick connect nozzles (0°, 15°, 25°, 40° and detergent)

Powerful 7 HP, 4 stroke air cooled OHV engine



FORCED AIR CONSTRUCTION PROPANE HEATERS

Forced air heater is ideal for spaces up to 1,500 sq. feet (KPH-60) and 3,125 sq. feet (KPH-125), spaces such as construction sites, garages, workshops, warehouses and barns Variable heat settings for

efficient use Continuous electronic ignition





\$399



MILLING DRILLING MACHINES & ACCESSORIES





17" DRILL PRESS



17" LONG STROKE 22" DRILL PRESS DRILL PRESS with SAFETY GUARD **DRILL PRESS with** & LIMIT SWITCH 📸 SAFETY GUARD ⊕ ⊕ KM-122 \$29.99 LONG 6" STROKE KC-122FC

• 12.5 Amp. motor

• 1 1/4" capacity

• Spindle taper MT #4

• 12 speeds
(180-4200 RPM) KC-119FC-LS KC-122FC-LS 2.5 Amp. motor 12 speeds (255-2750 RPM)

Spindle taper MT #3 16 15/16" swing ' stroke 3/4" chuck \$1099

• 4 3/4" stroke • 3/4" chuck

• 1 1/4" capacity • Spindle taper MT #4 • 12 speeds (180-4200 RPM) • 4 3/4" stroke 3/4" chuck

\$1399.

15" VARIABLE SPEED INDUSTRIAL DRILL PRESS



HEAD TILTS 90° TO THE LEFT AND 30° TO THE **RIGHT** 21" GEARHEAD



MT#3 • 6 Speeds (60-1500 RPM)

· Face Mill Capacity 4"

• End Mill capacity 3/4"

RIGHT 21" GEARHEAD DRILLING/MILLING **MACHINE WITH** SAFETY GUARD & LIMIT **SWITCH** KC-40HC (220V) KC-40HC-6 (600V) • 1.5 HP Motor Forward & Reversing Switch • 1 1/4" Drilling ANGLE Capacity 20 7/16" Swing • Spindle Taper R-8 6 Speeds (60-1500 RPM) Face Mill Capacity 4" • End Mill capacity 3/4" · Working surface of table 23"x 7 1/2"

HEAD TILTS

90° TO THE

30° TO THE

LEFT AND

POWER DOWNFEED & TAPPING

⊕

\$1299

RECIRCULATINI COOLANT SYSTEM

28" GEARHEAD **DRILLING MACHINE** WITH **SAFETY GUARD &** LIMIT **SWITCH**

KC-50

· 2 HP motor • 27 1/2" swing

• 7" stroke

 Speeds (60-870 / 120-1740)

1 1/2" capacity

 Spindle taper MT#4

• 5/8" Chuck & key included

\$5999.

\$6999.

29 PC. TITANIUM DRILL BIT SET KDB-29T \$39.99

CROSS SLIDE VISES \$79.99

3"-KPV-3 **\$19.**99 4"-KPV-4 **\$29**.99

KEYLESS DRILL CHUCKS KDC-12X 1/2"JT#33 4") 5"- KCV-5N **\$99.**99 5"-KPV-5 **\$44.**99 KDC-58X KDC-34X 3/4"-JT#4

COMPOUND SLIDE TABLE \$249.99 KCT-618

52 PC. CLAMPING

KCL-5212**\$89**.⁹⁹ Fits 1/2" table slots

20 PC. TITANIUM COATED **END MILL SET** KM-120 \$199.⁹⁹ 2 & 4 Flute (10 pcs. each) Imperial, Single End

4"- KCV-4N

6"- KCV-6N\$129.99 6"-KPV-6 \$59.99 \$99.99

DRILL PRESS

VISES 🔏

\$129.99

- 1/2" T- slots

KCL-52 \$89.99 Fits 5/8" table slots





5" x 6" **ADJUSTABLE** HÝDRAULIC **DUAL SWIVEL METAL CYLINDER CUTTING BANDSAW** KC-129DS Head swivels 0° - 45° to the right and 0° - 60° to the left Adjustable hydraulic downfeed control Automatic shut-off switch KING 8 Amp. (110V) \$999.

10" x 18"

METAL CUTTING BANDSAW

KC-227-2 (220V) KC-227-6 (600V)

• 4 speeds (114, 196, 288, 377 FPM) • Carbide ball bearing blade guide

- · Control panel with automatic shut-off
- Adjustable hydraulic downfeed control
- Both adjustable control arms can be positioned as close to the cut as possible

Coolant system with regulator valves







10" x 18" VARIABLE SPEED SWIVEL METAL CUTTING BANDSAW

KC-228S-V-2 (220V)

KC-228S-V-6 (600V)

- - **BI-METAL BLADES** Length | Width | TPI | Thickness KBB-225-BM-610 122" 6-10 .032' \$99.99

11.5 Amp. @ 220V 2.6 Amp. @ 600V





METAL CUTTING BANDSAWS

7" x 12" DUAL SWIVEL METAL CUTTING BANDSAW KC-712DS

6 Amp. (220V)

Returning coolant system
 4 speeds (98-164-246-328 FPM)
 Automatic shut-off
 Adjustable ball bearing guides



7" x 12" nova dvr metal cutting bandsaw

Smart metal bandsaw features state of the art technology

Digital Variable Reluctance (DVR) Direct Drive 1 HP motor with Adaptive ControlTM Software

Constant torque under load and electronic braking emergency stop



9" x 18" METAL CUTTING SWIVEL BANDSAW KC-918S-V (8 Amp. 220V)

KC-918S-V- 600V (2.5 Amp. 600V)

- Returning coolant system
 Variable speeds (80-250 FPM)
 Carbide ball bearing blade guides with rollers
 Centralized control panel and automatic shut-off

- Adjustable hydraulic downfeed control
 Precision blade tension adjustment
 Head swivels 0° to 45° in one direction
 Quick-positioning vise with fully adjustable jaws for 0° to 45° angles

VARIABLE SPEED METAL/WOOD CUTTING **BANDSAW**

KC-1700WM-VS

- Variable speeds (wood): 540-3600 SFPM

- Variable speeds (metal): 100-650 SFPM
 Voltage (input power): 220V, 1 phase, 60 Hz
 Comes with a 1/2" x 6 TPI wood cutting blade, 1/2" x 10 TPI metal cutting blade, laser guide, work lamp, miter gauge and a precision "TRU-RIP" aluminum rip fence with resaw guide



0.

KC-450

- Variable speedHandwheel controls speed
- Speed changes while the machine is in operation
- Comes complete with 4-way tilting table, and work light







BENCH BENCH GRINDERS GRINDER KC-690LN ⋅ 3450 RPM **STAND** Laser Effect SS-150N **Built-in** Made of cast-iron & alloy steel Height of 31-1/2" \$79.99 from the floor Water reservoir for quenching workpieces KC-890 •7 Amp. motor •3450 RPM \$145. 10" KC-1090N • Powerful 1-1/2 HP, 13 Amp. 1,750 RPM low speed motor Comes with, medium 60 Grit and course 36 Grit 10" x 1" grinding wheels \$349.99 **POWERFUL 13 AMP. MOTOR** 8" LOW SPEED BENCH GRINDER WITH LIGHT KC-895LS Comes with course 60 grit and fine 120 Grit 8" x 1" white aluminum oxide

10" WET/DRY SHARPENER KIT KC-4900S 1.6 Amp. motor quietly rotates at 115 RPM for maximum precision during sharpening Comes with angle guide honing compound and a square edge jig for sharpening a variety of blades and wood chisels \$249.⁹⁹ \$1699.

KM-131

OPTIONAL 4 pc. Accessory Kit

\$79.99

KM-130

(Short knife jig, long knife jig, scissors jig & axe jīg)

grinding

\$159.⁹⁹

wheels

8" LOW SPEED LONG **SHAFT BUFFER** KC-899LSB

- Powerful 1/2 HP motor
- Arbor shaft diameter: 5/8"
 Motor no load speed: 1,750 RPM
 Comes with two 8" x 1/2" spiral
 sewn cloth buffing wheels

2" X 42" BELT & 8" DISC SANDER

\$159.99





2"x 42" PURE ZIRCONIA

SANDING BELIS					
Model	Belt Size	Grit	Unit	Price	
SB-242-60Z	2"x42"	60	1	\$9.99	
SB-242-80Z		80	1	\$9.99	
SB-242-100Z		100	1	\$9.99	
SB-242-120Z	2"x42"	120	1	\$9.99	

CON

	JANUTHU				
	Model	Disc Size	Grit	Unit	Price
	SD-8-60Z	8"	60	1	\$9.99
_	SD-8-80Z	8"	80	1	\$9.99
	SD-8-100Z	8"	100	1	\$9.99
	SD-8-120Z	8"	120	1	\$9.99

PURE ZIRCONIA 8'

3" X 79" METAL BELT SANDER



KC-379MS

Sanding belt rotates on 7-1/2" vented drive wheel and solid rubber rear wheel for maximum tracking and sanding control

Comes with Canadian

made 80 Grit pure

- Head pivots up or down on base for easy and safe work heights
- Horizontal working height of 36"

Hinged top cover for access to entire length of belt for larger pieces

3"x 79" PURE ZIRCONIA SANDING BELTS						
Model	Belt Size	Grit	Unit	Price		
SB-379-60	3"x79"	60	1	\$19.99		
SB-379-80	3"x79"	80	1	\$19.99		
SB-379-120	3"x79"	120	1	\$19.99		

2 HP METAL DUST **9** COLLECTOR KC-7300C Powerful 2 HP, 220V motor

- 2 Step activation safety switch with line voltage interruption
- Ideal for collection of metal chips and abrasive dust produced by metal sanders, grinders, cold cut saws, deburring and chamfering machines
- Large metal chips colection drawer
- · 6" inlet with Y-inlet adaptor with two 3" dust inlets allowing up to connect up to two metalworking machines
- Comes with large paper filter and iron activated carbon filter





KING

U

FIREPROOF 3" METAL DUST **COLLECTION HOSES KIT** KM-102

Kits Includes: 2 - 8ft. (2.5M) Fireproof hoses 4 - hose clamps (3")

\$89.99



MAGNETIC

Comes with twist lock emergency stop button \$129.99 ea. KMAG-110-811 110V (8-11 Amp.) KMAG-110-1114 110V (11-14 Amp.) KMAG-110-1417 110V (14-17 Amp.)

STAND KMAG-220-811 220V (8-11 Amp.) KC-1295 KMAG-220-1114 220V (11-14 Amp.) Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection KMAG-220-1417 220V (14-17 Amp.) Built-in cast-ironquench tray, 36 Grit and KMAG-220-1721 60 Grit 12" x 2" grinding wheels 220V (17-21 Amp.)



\$3999.

\$379.

\$749.









- stroke and safety overload bypass system for maximum pump protection
- Compact design with retractable boom and foldable legs
- Fold-up legs with safety pins extend to 65"

14"cut-**OFF SAW** 8342LN

Quick release vise for holding workpiece, allows cuts up to a 45° angle Powerful 15 Amp

vacuum dust bag ADHESIVE WINDOW PROTECTORS
KM-097 KM-098
Fits: KSB-110N-LED Fits: KSB-350-LED
5 PC. KIT 5 PC. KIT

8317

\$29.99

116 CFM, max air speed 195 km/h (121 mph)

button for continuous operation

rubber blower nozzle and a

Comes complete with soft flexible

Variable speed

Trigger lock-on

(6.000-14.000 RPM)

\$799

VARIABLE SPEED HAND-HELD

BLOWER/VACUUM \$29.99

REPLACEMENT CERAMIC NOZZLES KM-036 KSB-110N-LED

Vacuum

mode

& KSB-350-LED \$29,99

PRESSURE ABRASIVE **SANDBLASTERS**

- Safety pressure relief valve
- Loading abrasive is made simple using the concave funnel top of the tank
- Safety pressure relief valve 1/2" (I.D.) x 8 ft abrasive feed hose
- Includes media gun, 4 interchangeable nozzles (2, 2.5, 3 & 3.5mm), water separator filter, protective blast hood and teflon tape



HYDRAULIC SHOP PRESSES WITH GRID GUARD

- Great for straightening, pressing, bending or stamping
 Used to install or remove gears, bushings or bearings
- · Adjustable bed height with support rods



CABINETS WITH LED LIGHT LED light for improved visibility

4 different sized ceramic nozzles

2 rubber gauntlet gloves
Dual large access doors allow user
to sandblast longer pieces of
metal (KSB-350-LED only)



5.5 PEAK HP 20 GALLON AIR COMPRESSOR

KC-2051H2

- 150 PSI max pressure
- 7.6 CFM @ 40 PSI 6.0 CFM @ 90 PSI
- 2 cylinder cast iron single stage oil lubricated pump



5.5 PEAK HP 24 GALLON AIR COMPRESSOR KC-3124V2

- 150 PSI max pressure
- 7.6 CFM @ 40 PSI 2 cylinder cast iron • 6.0 CFM @ 90 PSI single stage oil lubricated pump





COMPRESSOR OIL BOTTLE INFLATION GUN WITH PRESSURE GAUGE





HIGH OUTPUT 6.5 PEAK HP 60 GALLON AIR COMPRESSOR

KC-5160V2

- 150 PSI max pressure • 22.6 CFM @ 40 PSI

3 cylinder cast iron single stage oil lubricated pump



SPRAY GUN KITS 8185



AIR COMPRESSORS & ACCESSORIES





8190 HVLP







KING

NDUSTRIAL 2- STAGE AIR COMPRESSORS

⊕

Comes with

ASME safety valve

2-STAGE 5 RUNNNING HP **80 GALLON AIR COMPRESSOR**

KING

KC-5280V3-MS

- · 200 PSI max pressure
- 19 CFM @ 175 PSI

2 cylinder cast iron 2-stage oil lubricated pump

2-STAGE 7.5 RUNNING HP 80 GALLON AIR COMPRESSOR

KC-7280V3-MS

- 200 PSI max pressure
- 24 CFM @ 175 PSI

2 cylinder cast iron 2-stage oil lubricated pump



PREMIUM HYBRID POLYMER GARDEN HOSES

Extreme All-Weather Flexibility Kink resistant K-10058GH

K-5058GH 5/8" x 50 ft. 5/8" x 100 ft. \$45.

\$77. 150 PSI (Working) / 450 PSI (Burst)



	INDUSTRIAL AIR HOSES					
	K-2514H	25'x1/4"	\$21.99			
	K-2538H	25'x3/8"	\$29.99			
	K-5014H	50'x1/4"	\$33.99			
	K-5038H	50'x3/8"	\$44.99			
	K-10014H	100'x1/4"	\$54.99			
SURE	K-10038H	100'x3/8"	\$65.99			

HYBRID POLYMER

RETRACTABLE AIR HOSE 50 FT. x 3/8"
REEL WITH HYBRID
POLYMER AIR HOSE K-5038FRL All-Weather Flexibility

\$3499.

(-40°C to 65°C)

 Comes with wall mounting hardware



MANUAL AIR HOSE 100 FT. x 1/4" REEL WITH HYBRID POLYMER AIR HOSE K-10014FRL

 360° swivel base
 All-Weather Flexibility (-40°C to 65°C)



Double filtration system

HEPA **CARTRIDGE FILTERS**

HEPA (high-efficiency particulate air) filters are designed to capture all particles that are 0.3 microns or smaller

KVAC-1145 FITS: 8520LP, 8530LPN, 8531LP-B, 8540LSTN KVAC-1150



Fits: 8560LST 8520LP



8530LPN

Tank watei drain

Powerful 4 Peak HP motor

8 US Gallon (30L)

Comes complete with 6 ft. x1-1/4" hose, 2 pc. plastic extension wand, 30L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool



WET-DRY VACUUMS 8540LSTN

- Powerful 4 Peak HP motor10 US Gallon (40L)
- Comes complete with 6 ft. x 1-1/4" hose, 2 pc. extension wand, 40L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep



\$179.⁹⁹

insert, gulper tool, crevice tool and hanging accessory storage bag



\$299.99



\$449

2" X 50 ft

3" X 50 ft

GASOLINE/PROPANE GENERATORS

5100W GASOLINE **GENERATOR WITH** WHEEL KIT KCG-5100G

Powerful 8 HP, 4 stroke air

cooled OHV engine AVR system and electronic ignition

Low oil shut-off with indicator light

Two duplex outlets: 120V/20 Amp AC Twist lock outlet: 120V/240V/30 Amp AC

\$449.99



10000W TRI-FUEL GENERATOR WITH ELECTRIC STAR KCG-10002GE-TF Powerful 15 HP, 4 stroke air cooled OHV engine AVR system and electronic ignition Low oil shut-off with indicator light protects the engine Two duplex outlets: 120V/20 Amp. AC Two twist lock outlets: 120V/30 Amp. and 1 20V/240V/30 Amp. AC 100TRI Comes with propane tank and

natural gas connection cables.

5100W DUAL/FUEL

GASOLINE/PROPANE GENERATOR WITH ELECTRIC START KCG-5101GE-DF



Powerful 8 HP, 4 stroke air cooled OHV

AVR system and electronic ignition

Two duplex outlets: 120V/20 Amp. AC
Twist lock outlet: 120V/240V/30 Amp. AC

Keyed electric start and easy start recoil starter AC double throw circuit

safe operation \$599.99

breaker and resets for



12600W GASOLINE GENERATOR WITH ELECTRIC START

KCG-12600GE · Powerful 18 HP, 4 stroke

air cooled motor

AVR system and electronic

ignition Two duplex outlets: 120V/20 Amp. AC Twist lock outlet:

120V/240V/30 Amp. AC Outlet: 120V/240V/50 Amp. AC AC double throw circuit

breaker and resets



\$1099.99

6500W GASOLINE GENERATOR WITH ELECTRIC START

KCG-6502GE

Powerful 10 HP, 4 stroke air cooled OHV engine AVR system and electronic ignition

Low oil shut-off with indicator light

Two duplex outlets: 120V/20 Amp. AC

Twist lock outlet: 120V/240V/30 Amp. AC

\$649,99

10000W GASOLINE GENERATOR WITH **ELECTRIC START**

KCG-10001GE

· Powerful 15 HP, 4 stroke air cooled OHV engine

 AVR system and electronic ignition Low oil shut-off with indicator

light protects the engine Two duplex outlets: 120V/20 Amp. AC

· Two twist lock outlets: 120V/30 Amp.

\$899.99





12000W DUAL/FUEL

GASOLINE/PROPANE GENERATOR WITH ELECTRIC START POWER FORCE KCG-12001GE-DF IDUAL FUEL

Powerful 18 HP, 4 stroke air cooled OHV engine

30 Amp. AC Outlet: 120V/240V/

50 Amp. AC Keyed electric stárt and easy start recoil sta

AC double thro circuit breaker and resets

Terminals 12V/8.3 Amp. DC and

\$1199.99



GENERATOR HOME CONNECTION KIT

K-X7500

Outdoor to indoor receptacle kit Comes with 6 outlet power panel, generator power inlet box, 1/2" rigid PVC conduit, 1-1/4" spade bit, 1/2" PVC sleeve connector, 2 insulating gaskets and mounting hardware

GENERATOR EXTENSION CORDS

Converts a Nema L14-30P 240V 30 Amp Twist Lock plug into Nema 5-15/20R 120V 20A receptacles

K-L1430-10

Extension cord length: 10 feet Gauge (AWG)/Cord: 12 (SJTW 4/C)



K-L1430R-25

Extension cord length: 25 feet Gauge (AWG)/Cord: 10 (SJTW 4/C)



K-L1430-25-4T

Extension cord length: 25 feet Gauge (AWG)/Cord: 10 (STW 4/C)



K-L1430-25EXT

Extension cord length: 25 feet Gauge (AWG)/Cord: 10 (SJTW 4/C)



DESIGNED FOR OUR INVERTER GENERATORS

K-L530-25-3T

Extension cord length: 25 feet Gauge (AWG)/Cord: 10 (STW 3/C)



50 AMP. GENERATOR ADAPTOR CORD

Nema 14-50P 120/240V plug to Nema L14-30R 120/240V twist lock receptacle K-1450P-2

Cord length: 1.5 feet Gauge (AWG)/Cord: 10 (STW 4/C)



\$99.99

METAL LATHES & ACCESSORIES

Θ



7" X 12"

5.5 Amp. INCLUDES - 4"- 3 JAW CHUCK & STEADY REST (110V)

VARIABLE SPEED MINI METAL LATHE

- 3/4" spindle bore
- Variable speeds 2 (0-1100, 0-2500 RPM)
- Comes complete with quick change gear box, face plate, replacement gears, 4-way tool post, MT#2 dead center, threading dial indicator

\$1099.

10" X 22" **BELT DRIVE METAL LATHE** KC-1022ML

• 1" spindle bore

- Spindle speeds 6 (150-2400) RPM
- · Comes complete with 5"-3 jaw chuck, 6-1/2"-4 jaw chuck, replacement gears, 4 way tool post, steady rest, follow rest, 8" face plate, thread chasing dial indicator, MT#3 dead center, full length splash guard, tool box, and chuck key

\$3399.



12" X 36"

1.5 HP **GEARHEAD METAL LATHE** (220V)

1 1/2" spindle bore
Spindle speeds 9 (60-1500) RPM
40(4-112 T.P.I) 30(.2 - 4.5mm) thread cutting
Comes complete with 6"-3 jaw chuck, 8"-4 jaw chuck, imperial and metric gears, quick change tool post, steady rest, follow rest, 10" DI-4 camlock face plate, thread chasing dial indicator, MT#3 dead center, MT#3 arbor taper, 1/2" drill chuck, full length splash guard, tool box, and chuck keys

KC-1236ML/SS-1236

\$5999.

WITH TAPER ATTACHMENT KC-1236ML/KM-053/SS-1236

2 HP

(240V)

2" Spindle Bore

\$6499.



<u>TAPER ATTACHMENT</u> Taper Attachment must be

These Taper Attachments are designed to fit our 12" x 36", 14" x 40" & 16" x 40" Metal Lathes models KC-1236ML, KC-1440ML-2 & KC-1640ML

ordered together with

7 PC. QUICK CHANGE TOOL POST KITS



KQCT-0012 Fits most lathes up to 0 to 12" swing

\$249.99

KQCT-1015

Fits most lathes between \$399.99 10" to 15" swing

KQCT-1318

Fits most lathes between \$499.99

LIVE CENTERS

KLC-2M TAPER SHANK -MT#2

KLC-3M TAPER SHANK MT#3

\$69.

14" X 40"

GEARHEAD METAL LATHE

- Spindle speeds 8(70-2000 RPM)
- 34(4-56 T.P.I) 26(.4 7mm) thread cutting

Comes complete with 7"-3 jaw chuck, 8"-4 jaw chuck, replacement gears, quick change tool post, steady rest, follow rest, 12" DI-5 camlock face plate, coolant system, full length splash guard, thread chasing dial indicator, 2 MT#3 dead centers, MT#6-MT#3 sleeve, tool box,

chuck keys, and cabinet stand with foot brake



WITH TAPER ATTAC KC-1440ML-2/KM-054 \$9999

Θ

CABINET'STAND WITH FOOT BRAKE INCLUDED



2 axis (X, Y) digital readout (DRO)



Line interruption switch system and safety guard with limit switch protection

KC-1440ML-2 \$9499



4 HP (600V)



HIGH PRECISION "TOOL ROOM" METAL LATHE • Spindle speeds 16(45-1800 RPM)

- 2" spindle bore diameter

16" X 40"

- 45(2-72 T.P.I) thread cutting
- Comes complete with 8"-3 jaw chuck with inside & outside jaws, 12"-4 jaw chuck, quick change tool post and two 3/4" tool holders, steady and follow rests with roller guides, 14" (D1-6) camlock face plate, MT #4 standard dead centre, MT #4 carbide tipped dead centre, MT #4 to MT #6 spindle sleeve adapter, coolant system, manual micrometer carriage stop, tool box and wrenches

KC-1640ML

1 KING WITH TAPER ATTACHMENT KC-1640ML/KM-055 CABINET STAND WITH FOOT BRAKE INCLUDED



WITH DIGITAL READOUT

KC-1440ML-2/54/DRO

\$10,999.

• 2 positions carbide indexable Cutter Inserts (5pc.) • H.S.S. inserts (2pc.)

INCLUDED

Screwdriver and 3 adjustment keys



KM-047 3/8" Shank

\$199.

5/8" Shank

KM-057

Fits Models:

Fits Models: KC-0712ML, KC-1022ML KC-1236ML, 14440ML-2 14440ML-6,KC-1640GH, KC-1640ML & KC-1660GH