# PROMOTION MASTER THE GRIND



**CUT-OFF WHEELS -GRINDING WHEELS** 

Promo starts on **October 1, 2025** at participating distributors, while supplies last\*\*



# **FLEXCUT™XX**

Fast, efficient flexible material removal on steel and stainless steel

- Open diamond cut pattern prevents clogging for a smoother, longer-lasting performance
- Premium reinforcement enhances durability and safety during use
- Self-sharpening ceramic grain blend allows for a faster material removal rate





<sup>\*\*</sup>Please contact your local authorized WALTER distributor for more details.



Series: 10A, 10B, 10C, 10H, 10L, 10P, 10Q, 10W, 11A, 11D, 11F, 11H, 11L, 11T, 11U, 11V, 11W, 11X

## PRODUCT SPOTLIGHT

ZIP<sup>™</sup> XX

4 1/21

5"

6"

TYPE 1 =

Ceramic cut-off wheel for exceptional life and faster cuts

1/16"

1/16"

1/16"

5/64"

1/16

1/16"

5/64"

3/32"

1/16"



7/8"

7/8"

7/8

7/8" 7/8"

7/8"

<sup>7</sup>/8"

7/8"

7/8"

7/8"

- ► 100% self-sharpening ceramic grains
- SMART RESIN™ Technology exposes fresh grains at the optimal time to optimize the balance between sharpness & life
- Premium reinforcement and improved wheel density exceed the highest industry safety standards
- ► At least 30% more cuts than competitive ceramic wheels resulting in maximum productivity and reduced change outs

# ZIP+ XTRAT

6'

7"

9'

4 1/2 5"

TYPE 1 • 4 1/2

TYPE 27 •

Performance cutting in thicker metal





11X262

11X272



Steel Stalliess
Order No.
11T242
11T252
11T262
11T272
11T292
·
11T453
11T503

# COMBO ZIP™

Heavily reinforced for extra operator safety





Dia.	Thick.	Arbor	Order No.
TYPE 27	_		
4 ½"	5/64"	7/8"	11T842
5"	5/64"	7/8"	11T852
6"	5 / . !!	7/,11	11T060

## ZIP ONE™

For quick and safe cutting on thin gauge steel or stainless steel



Dia.	Thick.	Arbor	Order No.
TYPE 1			
4 ½"	1/32"	7/8"	11T542
5"	1/32"	<sup>7</sup> /8"	11T552

Type 27 also available. See product list.

# ZIP XXTREME

Provides the lowest overall cost-per-cut

Dia.	Thick.	Arbor	Order No.
TYPE 27	_		
4 ½"	3/64"	7/8"	11T044
5"	3/64"	7/8"	11T054
6"	3/64"	7/8"	11T064
7"	1/16"	7/8"	11T074

## ZIP TITAN<sup>™</sup>

Best solution for cutting titanium and brass

	J	IIId	HILLIT DIASS DUCING GASCHOTT
Dia.	Thick.	Arbor	Order No.
TYPE 27	_		
4 ½"	3/64"	7/8"	11H042
5"	3/64"	7/8"	11H052
6"	3/64"	<sup>7</sup> /8"	11H062
7"	<sup>1</sup> / <sub>16</sub> "	<sup>7</sup> /8"	11H072

## **ZIPCUT**™

Safe, fast and reliable cutting





Dia.	Thick.	Arbor	Order No.
TYPE 1			
4 ½"	3/64"	7/8"	11T042
5"	3/64"	<sup>7</sup> / <sub>8</sub> "	11T052
6"	3/64"	<sup>7</sup> /8"	11T062
7"	<sup>1</sup> / <sub>16</sub> "	<sup>7</sup> /8"	11T072
*9"	5/64"	7/8"	11T092
TYPE 27	_		
4 ½"	3/64"	7/8"	11T142
5"	3/64"	7/8"	11T152
6"	3/64"	<sup>7</sup> /8"	11T162
7"	1/16"	<sup>7</sup> /8"	11T172
9"	5/64"	<sup>7</sup> /8"	11T192

\*Must be used with 3" clamping flange No. 30-B 022 (according to ANSI B7.1) Also available for circular saws (Type 1) and in Spin-On version (Type 27S). See product list.

## $\mathsf{ZIP}^{\scriptscriptstyle{\mathsf{T}}}$

Performance cutting with straight shaft and die grinder





Dia.	Thick.	Arbor	Order No.
TYPE 1			
3"	1/32"	3/8"	11L303
3"	1/16"	3/8"	11L313
4"	1/32"	3/8"	11L403
4"	1/16"	3/8"	11L413



Dia.	Thick.	Arbor	Order No.
TYPE 1			
4 ½"	3/64"	7/8"	11F042
5"	3/64"	<sup>7</sup> /8"	11F052
6"	3/64"	<sup>7</sup> /8"	11F062
7"	1/16"	7/8"	11F072
*9"	5/64"	7/8"	11F092

\*Must be used with 3" clamping flange No. 30-B 022 (according to ANSI B7.1) Type 27 also available. See product list.

## ZIP ALU

Fast & free cutting on aluminum & other non-ferrous metals



			Alu
Dia.	Thick.	Arbor	Order No.
TYPE 1	_		
4 ½"	3/64"	7/8"	11U042
5"	3/64"	<sup>7</sup> /8"	11U052
6"	3/64"	<sup>7</sup> /8"	11U062
7"	1/16"	7/3"	1111072

Type 27 also available. See product list.





Series: 08B, 08C, 08D, 08E, 08F, 08H, 08K, 08L, 08N, 08P, 08X, 15L

# FLEXCUT XX<sup>™</sup> **□■■**

Fast, efficient material removal on steel stainless steel & millscale



Dia.	Grade	Arbor	Order No.
TYPE 29			
4 1/2"	CA-36	7/8"	15L743
5"	CA-36	7/8"	15L753
6"	CA-36	7/8"	15L763
7"	CA-36	7/8"	15L773

# **XCAVATOR XX**™

High performance grinding wheel with ultra-fast removal rate on steel and stainless steel. Fe-Free formulation (guaranteed not to contaminate stainless steel)



Dia.	Thick.	Arbor	Order No.
1/8" TYPE 27			
4 1/2"	1/8"	7/8"	08X452
5"	1/8"	7/8"	08X502
6"	1/8"	7/8"	08X602
1/4" TYPE 27			
4 1/2"	1/4"	7/8"	08X450
5"	1/4"	7/8"	08X500
6"	1/4"	7/8"	08X600

High removal rate on steel, stainless steel and hard metals



noval rate on etect, etalinede etech and nara metale			Oleei olaiiiless
Dia.	Thick.	Arbor	Order No.
PE 27			
4 1/2"	1/4"	7/8"	08P460
5"	1/4"	7/8"	08P510
6"	1/4"	<sup>7</sup> /8"	08P600
PE 27S	~~		
4 1/2"	1/4"	5/8"-11	08P450

1/4" TY

1/4" TY

High performance and exceptional comfort for everyday grinding





riigii perioriilanee and exceptional connection everyday grinding			Steel Stailless	
Dia.	Thick.	Arbor	Order No.	
1/4" TYPE 27S	~~~			
4 ½"	1/4"	5⁄8"-11	08B450	
5"	1/4"	⁵⁄8 <b>"-11</b>	08B500	
6"	1/4"	5 <b>⁄</b> 8 <b>"-11</b>	08B630	
Always use 1/4" wheels with flange 30-B 057.				

1/4" TYPE 28S	_		
4 ½"	1/4"	5⁄8"-11	08B451
5"	1/4"	5 <b>∕</b> 8 <b>"-11</b>	08B501
1/4" TYPE 27			
4 ½"	1/4"	7/8"	08B460
5"	1/4"	7/8"	08B510
6"	1/4"	<sup>7</sup> / <sub>8</sub> "	08B600

For use on aluminum and other soft metals



4 ½"	1/8"	<sup>7</sup> /8"	08L452
5"	1/8"	<sup>7</sup> /8"	08L502
6"	1/8"	<sup>7</sup> /8"	08L602
1/4" TYPE 27			
4 ½"	1/4"	<sup>7</sup> /8"	08L450
5"	1/4"	<sup>7</sup> /8"	08L500
6"	1/4"	<sup>7</sup> /8"	08L600

# **HP XX**™

Premium grinding at the lowest overall cost





Dia.	Thick.	Arbor	Order No.
1/8" TYPE 27			
4 ½"	1/8"	<sup>7</sup> /8"	08H452
5"	1/8"	7/8"	08H502
6"	1/8"	<sup>7</sup> /8"	08H602
1/4" TYPE 27	_		
4 ½"	1/4"	7/8"	08H450
5"	1/4"	<sup>7</sup> /8"	08H500
6"	1/4"	<sup>7</sup> /8"	08H600



Dia.	Thick.	Arbor	Order No.
1/4" TYPE 27S	<b>~</b>		
4 ½"	1/4"	<sup>5</sup> / <sub>8</sub> "-11	08K450
5"	1/4"	<sup>5</sup> / <sub>8</sub> "-11	08K500
1/4" TYPE 28			
7"	1/4"	<sup>7</sup> /8"	08K701
9"	1/4"	<sup>7</sup> /8"	08K901

## **HP COMBO**™

High performance cutting and grinding; all in one wheel





Dia.	Thick.	Arbor	Order No.
1/4" TYPE 27S	~~~		
4 ½"	1/8"	5⁄%"-11	08B452
5"	1/8"	<sup>5</sup> /8"-11	08B502
6"	1/8"	5/8"-11	08B632

Always use 1/4" wheels with flange 30-B 057.

1/8" TYPE 27			
4 1/2"	1/8"	<sup>7</sup> /8"	08B462
5"	1/8"	7/8"	08B512
6"	1/8"	<sup>7</sup> /8"	08B602

Steel only options also available.

Superior grinding and cutting on Stainless steel



	0		
Dia.	Thick.	Arbor	Order No.
1/8" TYPE 27S	~~~		
4 1/2"	1/8"	5⁄%"-11	08F452
5"	1/8"	⁵⁄s" <b>-11</b>	08F502
1/8" TYPE 27			
4 1/2"	1/8"	7/8"	08F462
5"	1/8"	<sup>7</sup> /8"	08F512
1/4" TYPE 27S	~~~		
4 1/2"	1/4"	5/8"-11	08F450
5"	1/4"	<sup>5</sup> / <sub>8</sub> "-11	08F500
1/4" TYPE 27			
4 1/2"	1/4"	7/8"	08F460
5"	1/4"	<sup>7</sup> /8"	08F510

# **ALLSTEEL**<sup>™</sup>

Series: 08W





Delivers fast removal rates on steel and stainless steel. High-strength abrasive grain ensures durability and aggressive grinding action with less effort, making even the toughest jobs easier.





The WALTER SHOP program stands as our proprietary approach designed to help you maximize operational efficiency across all sectors of your metalworking business.

### **RESULTS YOU CAN EXPECT**







## **HOW IT WORKS**

1. Assessment

Pre-visit meeting and comprehensive plant walkthrough, to gather information on actual challenges, bottlenecks & production needs, current processes & applications, safety requirements and more.

2. Analysis

Evaluation of gathered observations and feedback using comparative benchmarking and metalworking expertise to quantify potential improvements.


3. Technical Report


Comprehensive report with recommendations to help solve current challenges and improve processes, with products, systems or working techniques intended to deliver on your most important goals.

4. Commitment

We work closely with the customer to ensure the seamless implementation of the recommended products and solutions.

5. Measure True Impact We continue to monitor the success & performance of our recommendations to help sustain improvements.









\*Some conditions apply. Other skus may qualify. See your participating WALTER dealer or contact your WALTER Territory Manager for details. WALTER Surface Technologies Inc © 2025 All rights reserved. Limited time offer, while supplies last. All taxes extra. Available at participatiing WALTER distributors. Promo starts on October 1, 2025.